

N O T I C E

THIS DOCUMENT HAS BEEN REPRODUCED FROM
MICROFICHE. ALTHOUGH IT IS RECOGNIZED THAT
CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED
IN THE INTEREST OF MAKING AVAILABLE AS MUCH
INFORMATION AS POSSIBLE

PB86-181336


Solar-Geophysical Data Number 498
February 1986. Part 1 (Prompt Reports)
Data for January 1986, December 1985 and
Late Data

(U.S.) National Geophysical Data Center
Boulder, CO

Prepared for

National Aeronautics and Space Administration
Washington, DC

Feb 86



U.S. Department of Commerce
National Technical Information Service
NTIS

BIBLIOGRAPHIC INFORMATION

PB86-181336

Solar-Geophysical Data Number 498, February 1986. Part 1 (Prompt Reports). Data for January 1986, December 1985 and Late Data,

Feb 86

by H. E. Coffey.

PERFORMER: National Geophysical Data Center, Boulder, CO.
SGD-498-PT-1
Contract NASA-W-15519, Grant NSF-ATM83-18491

SPONSOR: National Aeronautics and Space Administration,
Washington, DC.

See also PB86-168630 and PB86-181344. Sponsored by National Aeronautics and Space Administration, Washington, DC., and National Science Foundation, Washington, DC.

Contents: Detailed index for 1985-86; Data for January 1986--(IUWDS alert periods (Advance and worldwide), Solar activity indices, Solar flares, Solar radio emission, Vostok inferred interplanetary magnetic field polarity, Stanford mean solar magnetic field); Data for December 1985--(Solar active regions, Sudden ionospheric disturbances, Solar radio spectral observations, Cosmic ray measurements by neutron monitor, Geomagnetic indices, Radio propagation indices); Late data--(Solar radio emission Nancay interferometric chart December 1985, Solar radio spectral observations Culgoora May 1985, Geomagnetic indices sudden commencements November 1985, Calcium plage data).

KEYWORDS: *Solar activity.

Available from the National Technical Information Service,
SPRINGFIELD, VA. 22161

PRICE CODE: PC A05/MF A01

FEBRUARY 1986 NUMBER 498 -- Part I

PB 86-18133b

Solar-Geophysical Data prompt reports



Data for January 1986, December 1985, and Late Data

Explanation of Data Reports Issued as Number 489 (Supplement) May 1985

LATE DATA

Pages 77-91

CALCIUM PLAGE REGIONS AUGUST 1983

Pages 84-91



REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161



U.S. DEPARTMENT OF COMMERCE

Malcolm Baldrige, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

Anthony J. Callo, Acting Administrator

NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE

William P. Bishop, Acting Assistant Administrator

Solar - Geophysical Data

Part I (Prompt Reports)

NO. 498 FEBRUARY 1986

DATA FOR
JANUARY 1986
DECEMBER 1985

Michael A. Chinnery, Director
NATIONAL GEOPHYSICAL DATA CENTER
BOULDER, COLORADO

International Standard Serial Number: 0038-0911
Library of Congress Catalog Number: 79-640375 //r81

For sale through the National Geophysical Data Center, NOAA/NESDIS, E/GC2, 325 Broadway, Boulder, Colorado 80303. 1986 Subscription Price for the U.S.: \$70.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or \$35.00 annually for either part. Annual supplement containing explanation is included. Foreign subscriptions: For 1986 issues -- \$106.00 for both parts or \$53.00 for either part. We require prepayment for all orders. Please include with your request a check or money order payable in U.S. currency to the Department of Commerce, NOAA/NGDC. Any bank charges should be paid by the subscriber. Payment may be made through an American Express, Mastercard or VISA credit cards. Please include the correct name of credit card holder, card number and expiration date. Prices are subject to change. NGDC phone number: (303)497-6135 (FTS 320-6135).

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA/NESDIS/NGDC, E/GC2, 325 Broadway, Boulder, Colorado 80303 U.S.A.

BACK ISSUES OF "SOLAR-GEOPHYSICAL DATA"

Reel #	Coverage	Medium	Reel #	Coverage	Medium	Reel #	Coverage	Medium
1	Jan 56 - Dec 56	Microfilm	9	Jan 64 - Dec 64	Microfilm	17	Jul 69 - Dec 69	Microfilm
2	Jan 57 - Dec 57	Microfilm	10	Jan 65 - Dec 65	Microfilm	18	Jan 70 - Jun 70	Microfilm
3	Jan 58 - Dec 58	Microfilm	11	Jan 66 - Sep 66	Microfilm	19	Jul 70 - Dec 70	Microfilm
4	Jan 59 - Dec 59	Microfilm	12	Oct 66 - Dec 66	Microfilm	20	Jan 71 - Jun 71	Microfilm
5	Jan 60 - Dec 60	Microfilm	13	Jan 67 - Dec 67	Microfilm	21	Jul 71 - Dec 71	Microfilm
6	Jan 61 - Dec 61	Microfilm	14	Jan 68 - Jun 68	Microfilm	22	Jan 72 - Jun 72	Microfilm
7	Jan 62 - Dec 62	Microfilm	15	Jul 68 - Dec 68	Microfilm	23	Jul 72 - Dec 72	Microfilm
8	Jan 63 - Dec 63	Microfilm	16	Jan 69 - Jun 69	Microfilm		1973 - 1984	Microfiche

Microfilm are available at \$30.00 per reel; microfiche at \$40.00 per year; \$1,000.00 for above set. Back issues in booklet form are available, as long as the stocks exist, at \$4.00 for either part plus a \$3.00 handling charge per order. Any entire year of back issues in booklet form is available at the current annual subscription rate, as long as the stocks exist. Please add a ten dollar (\$10.00) handling fee for non-U.S.A. orders. Prices are subject to change.

ISSN #0038-0911

SOLAR - GEOPHYSICAL DATA

NUMBER 498

(Issued in Two Parts)

Editor: Helen E. Coffey

Chief: Joe H. Allen
Solar-Terrestrial Physics Division

Staff: John A. McKinnon
Daniel C. Wilkinson
Viola W. Miller
Carol Weathers
Charles T. Shanks

C O N T E N T S

PART I (PROMPT REPORTS)

	Page
DETAILED INDEX FOR 1985-86	2
DATA FOR JANUARY 1986.	3-24
DATA FOR DECEMBER 1985	25-75
LATE DATA.	77-91
Nancay Interferometric Chart	December 1985
Radio Spectral Observations Culgoora	May 1985
Sudden Commencements	November 1985
Calcium Plage Regions	August 1983

PART II (COMPREHENSIVE REPORTS)

	Page
DETAILED INDEX FOR 1985-86	2
DATA FOR AUGUST 1985	3-23
MISCELLANEOUS DATA	25-28
Meudon Carte Synoptique 16 April-7 July 1985	

DETAILED INDEX OF OBSERVATIONS PUBLISHED IN "SOLAR-GEOPHYSICAL DATA"

CODE	KIND OF OBSERVATION	JUN 85	JUL	AUG	SEP	OCT	NOV	DEC	JAN 86
A. SOLAR AND INTERPLANETARY PHENOMENA									
A.1	Sunspot Drawings	492A 30	493A 24	494A 26	495A 26	496A 28	497A 26	498A 30	
A.2aa	Intl. Provisional Sunspot Numbers	491A 7	492A 9	493A 7	494A 7	495A 7	496A 7	497A 7	498A 7
A.2c	American Sunspot Numbers	491A 7	492A 9	493A 7	494A 7	495A 7	496A 7	497A 7	498A 7
A.3a	Mt. Wilson Magnetograms	492A 30	493A 24	494A 26	495A 26	496A 28	497A 26	498A 30	
A.3b	Mt. Wilson Sunspot Magnetic Class	492A 60	493A 55	494A 57	495A 56	496A 59	497A 57	498A 61	
A.3c	Kitt Peak Magnetograms	492A 30	493A 24	494A 26	495A 26	496A 28	497A 26	498A 30	
A.3d	Mean Solar Magnetic Field (Stanford)	491A 20	492A 25	493A 19	494A 20	495A 21	496A 23	497A 22	498A 24
A.3e	Stanford Magnetograms	492A 30	493A 24	494A 26	495A 26	496A 28	497A 26	498A 30	
A.4	H-alpha Filtergrams	492A 30	493A 24	494A 26	495A 26	496A 28	497A 26	498A 30	
A.5	Calcium Plage Photos/Drawings	Mar-Apr in 491A 95; May 84 in 492A 104; Jun-Jul 84 in 493A 77							
A.5a	Calcium Plage and Sunspot Regions	Apr-May 83 in 496A 90; Jun-Jul 83 in 497A 77; Aug 83 in 498A 84							
A.5b	Daily Calcium Plage Indices	Jun-Aug 83 in 485A 113							
A.6	H-alpha Synoptic Charts	492A 28	493A 22	494A 24	495A 24	496A 25	497A 24	498A 26	
A.6b	Active Region Carte Synoptique	498B 27	498B 28						
A.6c	Stanford Mag Field Synoptic Maps	492A 30	493A 23	494A 25	495A 25	496A 26	497A 25	498A 27	
A.6d	Kitt Peak Mag Field Synoptic Maps								
A.6e	Mass Ejections from the Sun	496B 20	497B 32	498B 19					
A.6f	Active Prominences and Filaments	496B 21	497B 34	498B 20					
A.7g	Kitt Peak Helium Synoptic Maps								
A.7h	Coronal Line Emission (Sac. Peak)	492A 30	493A 24	494A 26	495A 26	496A 28	497A 26	498A 30	
A.8aa	2800 MHz- Solar Flux (Ottawa)	491A 7	492A 9	493A 7	494A 7	495A 7	496A 7	497A 7	498A 7
A.8ac	2800 MHz- Adj Solar Flux (Ottawa)	491A 7	492A 9	493A 7	494A 7	495A 7	496A 7	497A 7	498A 7
A.8g	Adj Daily Solar Fluxes (Sagamore)	491A 7	492A 9	493A 7	494A 7	495A 7	496A 7	497A 7	498A 7
A.10a	Interferometric Chart/169 MHz Nancay	491A 14	492A 18	494A 76	494A 14	495A 15	496A 14	498A 78	498A 14
A.10c	East-West Scans - 21 cm - Fleurs	491A 17	492A 21	493A 16	494A 17	495A 18	496A 17	497A 16	498A 17
A.10d	East-West Scans - 43 cm - Fleurs	491A 18	492A 22	493A 17	494A 18	495A 19	496A 18	497A 17	498A 18
A.10e	East-West Scans - 10 cm - Ottawa	491A 16	492A 20	493A 15	494A 16	495A 17	496A 16	497A 15	498A 16
A.10f	East-West Scans - 3 cm - Toyokawa	491A 15	492A 19	493A 14	494A 15	495A 16	496A 15	497A 14	498A 15
A.11g	Solar X-ray GOES (graphs/table)	496B 14	497B 26	498B 12					
A.12a	Solar Particles (IMP H & J)	Jan-Mar 83 in 478B 28; Apr-Dec 83 in 491B 80							
A.13d	Solar Wind from IP Scintillations	Dec 84 in 486A 92							
A.13e	Solar Plasma (IMP H & J)	Jul 84-Mar 85 in 494B 158							
A.13f	Solar Wind (Pioneer 12)	Aug 83-Jan 84 in 487A 82							
A.16a	SMM Solar Irradiance	Dec 84 in 490B 18							
A.16b	NIMBUS Solar Irradiance	Nov 78-Mar 84 in 485B 70							
A.17	Interplanetary Mag Field (Pioneer 12)	Dec 84 in 488A 80							
A.17c	Inferred Interplanetary Mag Field	494A 77	494A 77	494A 77	494A 77	494A 77	496A 21	497A 19	498A 21
B. IONOSPHERIC RADIO PROPAGATION EFFECTS									
B.52	Field Strength Graphs North Atlantic	492A 80	493A 74	494A 72	495A 68	496A 76	497A 70	498A 74	
B.53	Quality Indices on Paths to Germany	492A 79	493A 76	494A 74	495A 70	496A 75	497A 72	498A 73	
C. SOLAR FLARE-ASSOCIATED EVENTS									
C.1a	H-Alpha Flares	491A 12	492A 14	493A 12	494A 12	495A 12	496A 12	497A 12	498A 12
C.1ba	H-alpha Flare Groups	496B 4	497B 4	498B 4					
C.1d	Flare Patrol Observations	491A 13	492A 17	493A 13	494A 13	495A 14	496A 13	497A 13	498A 13
C.1d	Flare Patrol Observations	496B 10	497B 13	498B 7					
C.3	Radio Bursts Fixed Freq.	496B 11	497B 14	498B 9					
C.3	Radio Bursts Fixed Freq. Selected	491A 19	492A 23	493A 18	494A 19	495A 20	496A 19	497A 18	498A 19
C.4d	Radio Bursts Spectral (Culgoora)	Jan-Apr 1985 in 496A 81; May 85 in 498A 79							
C.4e	Radio Bursts Spectral (Weissenau)	492A 67	493A 63	494A 62	495A 58	496A 64	497A 61	498A 65	
C.4f	Radio Bursts Spectral (Sagamore Hill)	492A 67	493A 63	494A 62	495A 58	496A 64	497A 61	498A 65	
C.4i	Radio Bursts Spectral (Bielefeld)	492A 67	493A 63	494A 62					
C.4k	Radio Bursts Spectral (Learmonth)	492A 67	493A 63	494A 62	495A 58	496A 64	497A 61	498A 65	
C.4l	Radio Bursts Spectral (Palmer)	492A 67	493A 63	494A 62	495A 58	496A 64	497A 61	498A 65	
C.6	Sudden Ionospheric Disturbances	492A 66	493A 63	494A 61	494A 57	496A 62	497A 60	498A 64	
D. GEOMAGNETIC PHENOMENA									
D.1a	Geomagnetic Indices	492A 73	493A 70	494A 68	495A 64	496A 71	497A 66	498A 68	
D.1ba	27-day Chart of Kp Indices	492A 75	493A 72	494A 70	495A 66	496A 73	497A 68	498A 70	
D.1c	27-day Chart of Cg	1985 in 498A 71							
D.1d	Principal Magnetic Storms	492A 77	493A 73	494A 71	495A 67	496A 74	497A 69	498A 72	
D.1f	Sudden Commencements/Flare Effects	492A 78	494A 79	495A 72	496A 80	497A 76	498A 83		
D.1g	Equatorial Indices Dst	492A 76	494A 78	497A 74	497A 75				
F. COSMIC RAYS									
F.1a	Neutron Monitor Counts (Deep River)	Apr 85 in 492A 88							
F.1b	Neutron Monitor Counts (Climax)	492A 69	493A 69	494A 67				498A 67	
F.1e	Neutron Monitor Counts (Alert)	Apr 85 in 492A 88							
F.1h	Neutron Monitor Counts (Thule)	492A 69	493A 69	494A 67	495A 63	496A 67	497A 65	498A 67	
F.1i	Neutron Monitor Counts (Kiel)	492A 69	493A 69	494A 67	494A 63	496A 67	497A 65	498A 67	
F.1j	Neutron Monitor Counts (Tokyo)	492A 69	493A 69	494A 67	495A 63	496A 67	497A 65		
F.1i	Neutron Monitor Counts (Huancayo)	Mar 85 in 491A 85							
F.1m	Neutron Monitor Counts (Predigtstuhl)	492A 69	493A 69	494A 67	495A 63	496A 67	497A 65	498A 67	
H. MISCELLANEOUS									
H.60	IUWDS Alert Periods	491A 4	492A 5	493A 4	494A 4	495A 4	496A 4	497A 4	498A 4

The entry "492A 30" under Jun 1985, for example, means that the sunspot drawings for Jun 1985 appear in SOLAR-GEO-PHYSICAL DATA No. 492, Part I, and that they begin on page 30. "A" denotes Part I and "B", Part II. Blanks mark data not yet received and dashes indicate unavailable data.

CONTENTS

Prompt Reports

DATA FOR JANUARY 1986

Number 498 Part I

IUWDS ALERT PERIODS (Advance and Worldwide).	Page 4- 5
SOLAR ACTIVITY INDICES	
Daily Sunspot Numbers and 2800 MHz Solar Flux (12 Months)	6
Daily Solar Indices (Sunspot Numbers and Solar Flux).	7
Observed and Predicted Solar Activity Indices	8
Smoothed Observed and Predicted Sunspot Numbers	9
Graph of Observed and Predicted Sunspot Numbers	10
Graph and Table of Sunspot Numbers (1944 - present)	11
SOLAR FLARES	
H-alpha Solar Flares.	12
Intervals of No Flare Patrol.	13
SOLAR RADIO EMISSION	
Solar Interferometric Chart - 169 MHz - Nancay.	14
East-West Solar Scans at 3 cm - Toyokawa	15
East-West Solar Scans at 10 cm - Ottawa	16
East-West Solar Scans at 21 cm - Fleurs	17
East-West Solar Scans at 43 cm - Fleurs	18
Selected Fixed Frequency Events	19
Selected Graph of Solar Noise Burst	20
INTERPLANETARY SCINTILLATION MEASUREMENTS OF SOLAR WIND (Not available at time of publication.)	
VOSTOK INFERRED INTERPLANETARY MAGNETIC FIELD POLARITY Table	21
Graph	22
STANFORD MEAN SOLAR MAGNETIC FIELD Graph	23
Table	24

4
JAN 86

ALERT PERIODS
INTERNATIONAL URSIGRAM AND WORLD DAYS SERVICE

SUMMARY OF THE GEOALERT MESSAGES

JANUARY 1986

NO	DI	DO	WOLF	10CM	A	LOC	TOT	M	X	OUTSTANDING EVENTS	DA	LOC	DE	ALERTS
001	01	31	000	069	019	SPOTNIL					01	SPOTNIL		SOLQUIET MAGQUIET
002	02	01	000	069	016	SPOTNIL					02	SPOTNIL		SOLQUIET MAGQUIET
003	03	02	000	070	014	SPOTNIL					03	SPOTNIL		SOLQUIET MAGQUIET
004	04	03	000	071	010	SPOTNIL					04	SPOTNIL		SOLQUIET MAGQUIET
005	05	04	000	072	005	SPOTNIL					05	SPOTNIL		SOLQUIET MAGQUIET
006	06	05	000	073	005	SPOTNIL					06	SPOTNIL		SOLQUIET MAGQUIET
007	07	06	000	075	005	SPOTNIL				PRESTO 07/0340 UT MAGSTORM BEGINS 06/0617XX UT	07	SPOTNIL		SOLQUIET MAGALERT 07/07 RECURRENCE
008	08	007	000	074	028	SPOTNIL					08	SPOTNIL		SOLQUIET MAGNIL
009	09	008	000	074	010	SPOTNIL					09	SPOTNIL		SOLQUIET MAGQUIET
010	10	009	000	075	010	SPOTNIL					10	SPOTNIL		SOLQUIET MAGQUIET
011	11	010	000	075	012	SPOTNIL					11	SPOTNIL		SOLQUIET MAGQUIET
012	12	011	000	074	004	SPOTNIL					12	SPOTNIL		SOLQUIET MAGQUIET
013	13	012	000	074	010	SPOTNIL					13	SPOTNIL		SOLQUIET MAGQUIET
014	14	013	018	077	012	S12W52	5	0	0		14	S12W52	Q	SOLQUIET MAGQUIET
015	15	014	021	079	010	S13W67	5	0	0		15	S13W67	E	SOLQUIET MAGQUIET
016	16	015	018	078	010	S11W80	10	1	0		16	S11W80	Q	SOLQUIET MAGQUIET
017	17	016	017	083	008	S12W90	3	2	0	PRESTO TENFLARE 210 FLUX UNITS 16/1843 UT DURATION 47 MINUTES	17	S12W90	A	SOLQUIET MAGQUIET
018	18	017	000	077	007	SPOTNIL					18	SPOTNIL		SOLQUIET MAGQUIET
019	19	018	000	076	008	SPOTNIL					19	SPOTNIL		SOLQUIET MAGQUIET
020	20	019	000	073	003	SPOTNIL					20	SPOTNIL		SOLQUIET MAGQUIET
021	21	020	000	072	011	SPOTNIL					21	SPOTNIL		SOLQUIET MAGQUIET
022	22	021	000	070	015	SPOTNIL					22	SPOTNIL		SOLQUIET MAGQUIET

ALERT PERIODS
INTERNATIONAL URSIGRAM AND WORLD DAYS SERVICE

5
JAN 86

SUMMARY OF THE GEOALERT MESSAGES

JANUARY 1986

NO	DI	DO	WOLF	10CM	A	LOC	TOT	M	X	OUTSTANDING EVENTS	DA	LOC	DE	ALERTS
023	23	022	000	070	013	SPOTNIL					23	SPOTNIL		SOLQUIET MAGQUIET
024	24	023	000	069	017	SPOTNIL					24	SPOTNIL		SOLQUIET MAGALERT MINOR RECURRENCE 24/XX
025	25	024	000	069	015	SPOTNIL					25	SPOTNIL		SOLQUIET MAGALERT MINOR RECURRENCE 25/XX
026	26	025	000	070	022	SPOTNIL					26	SPOTNIL		SOLQUIET MAGALERT MINOR RECURRENCE 26/XX
027	27	026	000	070	010	SPOTNIL					27	SPOTNIL		SOLQUIET MAGNIL
028	28	027	000	069	025	SPOTNIL					28	SPOTNIL		SOLQUIET MAGALERT MINOR 28
029	29	028	000	072	025	SPOTNIL					29	SPOTNIL		SOLQUIET MAGALERT MINOR 29/XX
030	30	029	000	073	015	SPOTNIL					30	SPOTNIL		SOLQUIET MAGNIL
031	31	030	011	076	015	S08E78	0	0	0		31	S08E78	Q	SOLQUIET MAGQUIET
001	01	31	014	079	011	S07E65	3	0	0		01	S07E65	Q	SOLQUIET MAGQUIET

NO=MESSAGE SERIAL NUMBER, DI=DATE OF ISSUE, DO=DATE OF OBSERVATION, WOLF=WOLF NUMBER, 10CM=10CM SOLAR FLUX, A=A INDEX, LOC=LOCATION LATITUDE AND LONGITUDE, TOT=TOTAL NUMBER OF FLARES, M=NUMBER OF M FLARES, X=NUMBER OF X FLARES, DA=DATE OF FORECAST, DE=DESCRIPTION, Q=QUIET, E=ERUPTIVE, A=ACTIVE, P=PROTON.

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS) JANUARY 1986

PRESTO KAKIOKA 07/0000 UT MAGSTORM BEGINS 06/17XX UT.
 PRESTO BOULDER 07/0340 UT MAGSTORM BEGINS 06/17XX UT.
 PRESTO SYDNEY 07/0630 UT SLOW SSC 06/1328 MAGSTORM STILL IN PROGRESS.
 PRESTO BOULDER 17/0311 UT TENFLARE 210 FLUX UNITS 16/1843 UT DURATION 47 MINUTES.

STRATWARM MESSAGES FOR JANUARY 1986

STRATWARM ALERT /MONDAY/ STRONG WARMING AT 10HPA OVER EAST SIBERIAN SEA, MOVING POLEWARDS PERPENDICULAR TO JET STREAM.
 STRATWARM ALERT /TUESDAY/ OVER THE EAST SIBERIAN SEA STRONG WARMING INTENSIFIES IN THE MIDDLE AND UPPER STRATOSPHERE.
 STRATWARM ALERT /WEDNESDAY/ IN THE MIDDLE STRATOSPHERE STRONG WARMING OVER EAST SIBERIA CONTINUES. IN THE UPPER STRATOSPHERE VERY INTENSE WARMING EXISTS OVER THE POLAR REGION, AT 1-MB LEVEL ZONAL WIND REVERSED BETWEEN THE POLE AND 60N.
 STRATWARM ALERT /THURSDAY/ WARM REGION REACHING FROM EASTERN SIBERIA IN THE MIDDLE STRATOSPHERE TO THE POLAR AREA IN THE UPPER STRATOSPHERE PERSIST BUT SLOWLY WEAKENS.
 STRATWARM ALERT /FRIDAY/ WARMING EVENT IN THE UPPER STRATOSPHERE TERMINATED. SLOW RETURN TO COLD POLAR CONDITIONS WITH WARM REGION LEFT IN THE MIDDLE STRATOPHERE OVER THE SIBERIAN SEA.

INTERNATIONAL (R_i) RELATIVE SUNSPOT NUMBERS

Day	1985 Final Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Prov Nov	Dec	1986 Jan
01	18	13	29	19	10	21	35	7	0	0	0	0
02	22	13	21	15	0	27	25	0	0	0	16	0
03	25	9	23	14	11	30	27	0	0	0	19	0
04	22	0	17	18	26	32	27	0	0	0	0	0
05	20	0	23	16	35	38	20	0	0	17	18	0
06	16	0	19	14	37	43	14	0	0	19	26	0
07	7	0	11	32	38	71	12	0	0	20	15	0
08	16	14	9	41	42	67	12	0	0	18	12	0
09	24	15	9	56	42	82	17	0	0	25	16	0
10	19	13	0	49	58	82	12	0	0	15	14	0
11	13	16	0	49	66	61	12	7	0	17	18	0
12	10	18	0	33	54	45	12	0	0	19	18	0
13	11	14	0	32	45	25	0	9	11	30	17	13
14	13	10	10	32	36	9	0	9	13	44	30	14
15	11	0	0	32	37	8	0	9	15	48	47	12
16	10	11	0	31	27	9	14	9	25	39	66	8
17	12	20	0	38	23	11	12	8	19	43	63	0
18	10	35	10	41	18	11	11	10	20	38	48	0
19	19	27	9	40	10	11	12	10	31	30	40	0
20	27	19	11	37	9	11	10	9	46	28	24	0
21	27	9	17	36	9	10	9	8	50	25	16	0
22	25	15	31	34	9	10	0	7	72	12	11	0
23	16	22	28	32	12	18	0	0	67	10	0	0
24	11	36	30	25	13	12	0	0	63	0	0	0
25	11	30	37	19	12	10	0	0	55	0	0	0
26	11	33	37	13	10	13	8	0	38	0	0	7
27	10	27	31	12	0	12	8	0	25	0	0	0
28	9	36	27	12	8	36	10	0	14	0	0	0
29		25	26	10	9	51	9	7	11	0	0	0
30		29	26	8	11	46	8	7	0	0	0	8
31		23		8		40	9		0		0	8
Mean	16	17	16	28	24	31	11	4	18	17	17	2

The yearly mean sunspot number equaled 18.0 in 1985.

DAILY SOLAR FLUX AT 2800 MHz (10.7 CM) ADJUSTED TO 1 AU

ALGONQUIN RADIO OBSERVATORY, OTTAWA

Day	Feb 85	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan 86
01	72.2	69.3	72.2	80.8*	69.5	76.9	80.5	73.0	68.3	69.0	67.8	67.0
02	73.8	69.1	72.6	76.5	72.4	79.1*	80.4	72.8	67.5	68.8	68.4	67.6
03	73.6	69.0	72.5A	72.6	74.6	81.3	79.2	73.1	68.7	68.0	68.5	68.4
04	70.9	68.6	71.9	70.8	77.5	80.4	79.3	73.5	68.3	67.6	68.3	69.5
05	71.2	67.5	71.2	71.4	84.3	83.3	78.5	72.2	67.0	68.5	69.7	70.7
06	70.6	68.1	70.5	75.0	87.4	87.5	77.9	72.5	66.0	70.0	71.1	72.2
07	70.3	68.0	70.3	79.1	88.4	97.7	79.5	70.8	65.9	71.8	71.9	71.6
08	72.5	68.7	69.9	83.7	88.9	96.7*	78.5	70.3	65.8	73.7	73.0	71.2
09	73.2	68.7	69.4	89.6	89.8	100.9*	74.9	70.6	66.0	72.9	75.2	72.7
10	73.6	68.0	69.7	91.7	91.7	104.6*	72.8	70.3	66.7	72.5	75.6	72.2
11	73.2	69.6	69.0	89.9	91.2	97.3	68.4	69.2	67.7	74.7	76.6	71.9
12	72.3	69.3	69.6	92.1	89.8	92.9	69.7	68.5	66.9	74.7	77.3	71.2
13	70.8	69.5	69.8	91.9	89.2	85.5	68.9	70.7	66.7	74.3	75.6	74.3
14	70.6	69.5	70.6	90.7*	85.3	76.4	69.3	70.4	69.8	76.9	76.4	76.4
15	70.2	69.6	70.0	92.0*	83.8	73.0	69.0	71.1	71.7	82.2*	80.2	75.1
16	69.8	70.1	69.4	95.5	80.9	71.9	68.2	70.3	73.2	78.8	83.7	75.5*
17	70.9	72.1	70.2	92.3	77.3	71.9	67.9	70.0	75.5	77.4	80.2	74.4
18	73.4*	74.6	71.7	92.7	73.8	71.8	68.6	70.4	75.5	77.3	78.4	73.1
19	76.1	74.2	71.7	89.6	72.2	71.7	69.1	70.7	77.7	75.6	77.5	70.2
20	75.0	74.2	72.3	86.7	71.9	71.7	70.6	69.8	79.4	75.7	75.4*	69.2
21	74.2	76.1*	77.9	84.4*	71.5	71.2	70.4	69.6	84.7	73.7	75.1	67.9
22	73.3	75.9	89.8	82.7*	71.6	71.0	72.7	69.8	94.3	73.1	73.5	67.3
23	71.7	77.3	93.3*	80.0	71.8	71.1	72.9	69.2	93.2*	72.8	71.2	67.0
24	70.5	79.6	89.0*	78.3	70.8	71.0	72.1	69.0	92.5	71.9	69.9	66.9
25	70.1	78.5	95.2	77.2	71.0	75.6	72.5	68.7	88.5*	70.3	67.3	68.0
26	69.7	79.7*	88.3*	75.5	70.0	77.4	72.3	68.4	83.0	69.5	66.3	67.7
27	68.9	77.4*	80.6	74.6	70.2	79.2	73.1	67.7	78.5*	69.8	66.2	67.2
28	69.7	77.7*	78.1	72.7	71.0	81.2	73.1	67.8	76.7	69.0	66.2	70.0
29		76.7*	83.2	72.5	72.3	83.5	73.1	68.3	73.6	69.1	66.0	71.2
30		75.8*	80.8	71.4	74.8	83.8	73.9	68.3	70.5	68.8	66.3	73.7
31		76.4*		69.6		82.4	74.1		69.5		66.6	76.6
Mean	71.9	72.5	75.7	82.0	78.5	81.3	73.3	70.2	74.2	72.6	72.4	70.9

A = interpolated value; --- = no observation.

*Adjusted for burst in progress at time of measurement; †corrected for antenna drift.
The yearly mean 2800 MHz flux adjusted to 1 astronomical unit equaled 74.7 in 1985.

DAILY SOLAR INDICES

7
Jan 86

January 1986

			Sunspot		Obs Flux Ottawa (2800)	Solar Flux Adjusted to 1 Astronomical Unit								
Julian Day	Day	Bartels Cycle Day	Numbers Int	Amer		SGMR (15400)	SGMR (8800)	SGMR (4995)	Ottawa (2800)	SGMR (2695)	SGMR (1415)	SGMR (610)	SGMR (410)	SGMR (245)
01	1	24	0	0	69.3	542	290	101	67.0	63	52	49	18	9
02	2	25	0	0	69.9	543	292	89	67.6	63	51	48	20	8
03	3	26	0	0	70.7	501	286	91	68.4	66	54	43	19	9
04	4	27	0	0	71.9	551	301	87	69.5	66	55	52	21	10
05	5	1	0	0	73.1	505	285	87	70.7	64	50	47	21	10
06	6	2	0	0	74.7	544	308	90	72.2	67	68	56	22	11
07	7	3	0	0	74.0	542	301	85	71.6	61	57	54	23	12
08	8	4	0	0	73.6	549	298	87	71.2	66	57	54	21	10
09	9	5	0	0	75.2	533	297	86	72.7	71	57	54	22	17
10	10	6	0	0	74.7	---	---	---	72.2	---	---	---	---	---
11	11	7	0	0	74.4	543	304	90	71.9	69	56	70	45	12
12	12	8	0	0	73.6	538	286	95	71.2	67	56	52	22	10
13	13	9	13	15	76.8	537	294	97	74.3	70	57	57	22	12
14	14	10	14	16	79.0	555	316	103	76.4	71	60	50	24	13
15	15	11	12	11	77.7	551	317	100	75.1	69	57	56	23	10
16	16	12	8	7	78.0*	552	307	102	75.5*	72	59	56	22	13
17	17	13	0	0	76.9	---	---	---	74.4	---	---	---	---	---
18	18	14	0	0	75.5	---	---	---	73.1	---	---	---	---	---
19	19	15	0	0	72.5	450	272	102	70.2	67	55	41	20	11
20	20	16	0	0	71.5	435	268	92	69.2	65	53	49	21	6
21	21	17	0	0	70.1	543	261	83	67.9	64	52	43	23	8
22	22	18	0	0	69.5	541	288	103	67.3	64	52	45	23	---
23	23	19	0	0	69.1	554	300	90	67.0	64	52	50	20	10
24	24	20	0	0	69.0	547	301	89	66.9	60	53	43	19	6
25	25	21	0	0	70.2	528	303	89	68.0	62	53	48	21	10
26	26	22	7	0	69.9	426	263	99	67.7	64	52	45	21	10
27	27	23	0	0	69.3	---	---	---	67.2	---	---	---	---	---
28	28	24	0	0	72.2	554	301	70	70.0	66	46	50	21	---
29	29	25	0	0	73.4	549	304	95	71.2	68	57	50	21	12
30	30	26	8	10	76.0	550	308	108	73.7	68	55	50	21	10
31	31	27	8	12	78.9	558	304	101	76.6	74	57	47	24	3
Mean			2	2	73.2	531	295	93	70.9	66	55	50	22	10

*Adjusted for burst in progress at time of measurement.

The observed and the adjusted Ottawa fluxes tabulated above are the "Series C" daily values reported by the Algonquin Radio Observatory, Ottawa, Ontario, Canada. The letter "A" following an entry designates an interpolated flux. Numbers in parentheses in the column headings denote frequencies in MHz.

Equipment problems produced the gaps shown here in the Air Weather Service's Sagamore Hill (SGMR) observations.

The international and American sunspot numbers shown above are preliminary values.

OBSERVED AND PREDICTED SOLAR ACTIVITY INDICES

JANUARY 1986

Date	RELATIVE SUNSPOT NUMBERS				2800 MHz RADIO FLUX Adjusted to 1 AU (Sa)			
	International (Ri)		American (Ra)		Derived (Rs)		Monthly Mean Smoothed	
	Monthly Mean	Smoothed	Monthly Mean	Smoothed	Monthly Mean	Smoothed	Monthly Mean	Smoothed
Mar 82	153.8	129	155.5	130	163.0	139	208.3	186
Apr	122.0	124	121.9	124	113.9	134	162.9	182
May	82.2	120	82.6	120	97.7	129	147.0	177
Jun	110.4	117	113.5	118	129.6	127	177.4	175
Jul	106.1	115	113.3	117	116.0	125	164.8	174
Aug	107.6	109	110.5	111	123.9	120	172.1	168
Sep	118.8	101	117.8	103	118.5	112	167.1	161
Oct	94.7	96	90.1	97	111.8	106	160.9	155
Nov	98.1	95	93.2	95	114.8	103	163.7	153
Dec	127.0	95	145.0	95	146.7	101	193.2	151
Jan 83	84.3	93	82.8	93	86.7	98	137.7	148
Feb	51.0	90	53.4	90	67.2	94	119.6	145
Mar	66.5	86	60.5	85	64.7	90	117.3	141
Apr	80.7	82	74.5	81	67.5	85	119.9	136
May	99.2	77	97.7	77	86.1	80	137.1	131
Jun	91.1	70	93.1	69	92.4	72	143.0	124
Jul	82.2	66	82.2	63	77.4	66	129.1	118
Aug	71.8	66	69.2	63	75.7	66	127.5	118
Sep	50.3	68	47.4	66	57.0	67	110.2	119
Oct	55.8	68	52.3	66	58.6	67	111.7	120
Nov	33.3	59	30.2	65	35.6	67	90.4	120
Dec	33.4	64	32.3	62	35.7	65	90.5	118
Jan 84	57.0	60	54.4	58	59.4	61	112.4	115
Feb	85.4	56	81.5	54	86.2	58	137.2	101
Mar	83.5	53	83.0	51	68.5	55	120.8	108
Apr	69.7	50	66.5	48	78.1	52	129.7	105
May	76.4	48	72.1	45	79.6	49	131.1	103
Jun	46.1	46	45.2	44	49.8	48	103.5	102
Jul	37.4	44	36.2	42	37.6	39	92.2	99
Aug	25.5	40	24.5	38	30.7	41	85.8	95
Sep	15.7	34	13.6	32*	23.2	35	78.9	90
Oct	12.0	29	9.8	27*	16.9	31	73.1	86
Nov	22.8	25	19.4	23*	18.6	26	74.6	72
Dec	18.7	22	17.0	20*	17.4	23	73.5	79
Jan 85	16.5	20	14.5	19*	15.9	21	72.1	77
Feb	15.9	20	16.3	18*	15.7	20	71.9	76
Mar	17.2	19	11.8*	16*	16.3	19	72.5	75
Apr	16.2	18*	17.1*	17*	19.8	19	75.7	75
May	27.5	18*	24.0*	17*	26.6	19	82.0	75
Jun	24.2	18*	22.2*	16*	22.8	19	78.5	75
Jul	30.7	17*	30.8*	16*	25.8	19	81.3	75
Aug	11.1	17(1)*	10.7*	15	17.2	18	73.3	--
Sep	3.9	16(3)*	3.4*	14	13.8	17	70.2	--
Oct	18.5†	15(5)*	16.5*	13	18.1	16	74.2	--
Nov	16.6†	13(5)*	16.4*	12	16.4	15	72.6	--
Dec	17.2†	13(6)*	10.1*	11	16.2	14	72.4	--
Jan 86	2.3†	12(6)*	2.3*	11	14.6	14	70.9	--
Feb	----	12(7)*	----	11	----	14	----	--
Mar	----	11(8)*	----	10	----	13	----	--
Apr	----	11(9)*	----	9	----	12	----	--
May	----	10(9)*	----	9	----	11	----	--
Jun	----	9(9)*	----	8	----	11	----	--
Jul	----	9(9)*	----	8	----	10	----	--

*An asterisk marks either a value of the observed 12-month running mean or of a predicted 12-month average that is based in part on preliminary observations.

Underlined entries indicate predicted values and parentheses enclose the absolute value of the 90% confidence limits. The two columns headed "Derived" represent a sunspot number computed from a linear regression equation between the 2800 MHz solar flux (adjusted to 1 astronomical unit) and the Zurich sunspot number.

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS FOR CYCLE 21

9
Jan 86

JANUARY 1986

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1976	15	13	12	13	13	12*	13	14	14	13	14	15
1977	17	18	20	22	24	26	29	33	39	46	52	57
1978	61	65	70	77	83	89	97	104	108	111	113	118
1979	124	131	137	141	147	153	155	155	156	158	162	165*
1980	164	163	161	159	156	155	153	150	150	150	148	143
1981	140	142	143	143	143	142	140	141	143	142	139	138
1982	137	133	129	124	120	117	115	109	101	96	95	95
1983	93	90	86	82	71	71	66	66	68	68	67	64
1984	60	56	53	50	48	47	44	40	34	29	25	22
1985	21	20	19	18	18	18	17	17 (1)	16 (3)	15 (5)	13 (5)	13 (6)
1986	12 (6)	12 (7)	11 (8)	11 (9)	10 (9)	9 (9)	9 (9)	8 (9)	8 (9)	8 (8)	8 (8)	8 (8)


An asterisk marks the minimum and the maximum of Sunspot Cycle 21.

For the current solar cycle, this table gives observed smoothed sunspot numbers up to the one calculated from the most recently measured monthly mean. These smoothed observed values are based on final monthly mean Zurich numbers through 1980, on final international numbers through September 1985, and on provisional international numbers thereafter.

The entries with numbers in parentheses below them denote predictions by the McNish-Lincoln method. (See page 9 in the May 1985 edition of the "Solar-Geophysical Data" supplement.) Adding the number in parentheses to the predicted value generates the upper limit of the 90% confidence interval; subtracting the number in parentheses from the predicted value generates the lower limit. Consider, for example, the July 1986 prediction tabulated above. There exists a 90% chance that in July 1986 the actual smoothed sunspot number will fall somewhere between 0 and 18.


THE McNish-Lincoln Prediction Method generates useful estimates of smoothed sunspot numbers for no more than 12 months ahead. Beyond a year the predictions regress rapidly toward the mean of all 13 cycles of data used in the computation. Furthermore, the method is very sensitive to the date defined as the beginning of the current sunspot cycle, that is, to the date of the most recent sunspot minimum. In "Solar-Geophysical Data," Issues 390-401, we based the current cycle predictions on March 1976 as the end of cycle 20 and the onset of the new cycle 21. Later studies, including one published by M. Waldmeier, showed that June 1976 was more appropriately the minimum epoch. We therefore generated this table using the June 1976 date.

OBSERVED AND ONE-YEAR-AHEAD PREDICTED SMOOTHED SUNSPOT NUMBERS



MONTHLY MEAN SUNSPOT NUMBERS JANUARY 1944 - JANUARY 1986

11
Jan 86




Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1944	3.7	0.5	11.0	0.3	2.5	5.0	5.0	16.7	14.3	16.9	10.8	28.4
1945	18.5	12.7	21.5	32.0	30.6	36.2	42.6	25.9	34.9	68.8	46.0	27.4
1946	47.6	86.2	76.6	75.7	84.9	73.5	116.2	107.2	94.4	102.3	123.8	121.7
1947	115.7	133.4	129.8	149.8	201.3	163.9	157.9	188.8	169.4	163.6	128.0	116.5
1948	108.5	86.1	94.8	189.7	171.0	167.8	142.2	157.9	143.3	136.3	95.8	138.0
1949	119.1	182.3	157.5	147.0	106.2	121.7	125.8	123.8	145.3	131.6	143.5	117.6
1950	101.6	94.8	109.7	113.4	106.2	83.6	91.0	85.2	51.3	61.4	54.8	54.1
1951	59.9	59.9	55.9	92.9	108.5	100.6	61.5	61.0	83.1	51.6	52.4	45.8
1952	40.7	22.7	22.0	29.1	23.4	36.4	39.3	54.9	28.2	23.8	22.1	34.3
1953	26.5	3.9	10.0	27.8	12.5	21.8	8.6	23.5	19.3	8.2	1.6	2.5
1954	0.2	0.5	10.9	1.8	0.8	0.2	4.8	8.4	1.5	7.0	9.2	7.6
1955	23.1	20.8	4.9	11.3	28.9	31.7	26.7	40.7	42.7	58.5	89.2	76.9
1956	73.6	124.0	118.4	110.7	136.6	116.6	129.1	169.6	173.2	155.3	201.3	192.1
1957	165.0	130.2	157.4	175.2	164.6	200.7	187.2	158.0	235.8	253.8	210.9	239.4
1958	202.5	164.9	190.7	196.0	175.3	171.5	191.4	200.2	201.2	181.5	152.3	187.6
1959	217.4	143.1	185.7	163.3	172.0	168.7	149.6	199.6	145.2	111.4	124.0	125.0
1960	146.3	106.0	102.2	122.0	119.6	110.2	121.7	134.1	127.2	82.8	89.6	85.6
1961	57.9	46.1	53.0	61.4	51.0	77.4	70.2	55.8	63.6	37.7	32.6	39.9
1962	38.7	50.3	45.6	46.4	43.7	42.0	21.8	21.8	51.3	39.5	26.9	23.2
1963	19.8	24.4	17.1	29.3	43.0	35.9	19.6	33.2	38.8	35.3	23.4	14.9
1964	15.3	17.7	16.5	8.6	9.5	9.1	3.1	9.3	4.7	6.1	7.4	15.1
1965	17.5	14.2	11.7	6.8	24.1	15.9	11.9	8.9	16.8	20.1	15.8	17.0
1966	28.2	24.4	25.3	48.7	45.3	47.7	56.7	51.2	50.2	57.2	57.2	70.4
1967	110.9	93.6	111.8	69.5	86.5	67.3	91.5	107.2	76.8	88.2	94.3	126.4
1968	121.8	111.9	92.2	81.2	127.2	110.3	96.1	109.3	117.2	107.7	86.0	109.8
1969	104.4	120.5	135.8	106.8	120.0	106.0	96.8	98.0	91.3	95.7	93.5	97.9
1970	111.5	127.8	102.9	109.5	127.5	106.8	112.5	93.0	99.5	86.6	95.2	83.5
1971	91.3	79.0	60.7	71.8	57.5	49.8	81.0	61.4	50.2	51.7	63.2	82.2
1972	61.5	88.4	80.1	63.2	80.5	88.0	76.5	76.8	64.0	61.3	41.6	45.3
1973	43.4	42.9	46.0	57.7	42.4	39.5	23.1	25.6	59.3	30.7	23.9	23.3
1974	27.6	26.0	21.3	40.3	39.5	36.0	55.8	33.6	40.2	47.1	25.0	20.5
1975	18.9	11.5	11.5	5.1	9.0	11.4	28.2	39.7	13.9	9.1	19.4	7.8
1976	8.1	4.3	21.9	18.8	12.4	12.2	1.9	16.4	13.5	20.6	5.2	15.3
1977	16.4	23.1	8.7	12.9	18.6	38.5	21.4	30.1	44.0	43.8	29.1	43.2
1978	51.9	93.6	76.5	99.7	82.7	95.1	70.4	58.1	138.2	125.1	97.9	122.7
1979	166.6	137.5	138.0	101.5	134.4	149.5	159.4	142.2	188.4	186.2	183.3	176.3
1980	159.6	155.0	126.2	164.1	179.9	157.3	136.3	135.4	155.0	164.7	147.9	174.4
1981	114.0	141.3	135.5	156.4	127.5	90.9	143.8	8.7	167.3	162.4	137.5	150.1
1982	111.2	163.6	153.8	122.0	82.2	110.4	106.1	107.6	118.8	94.7	98.1	127.0
1983	84.3	51.0	66.5	80.7	99.2	91.1	82.2	71.8	50.3	55.8	33.3	33.4
1984	57.0	85.4	83.5	69.7	76.4	46.1	37.4	25.5	15.7	12.0	22.8	18.7
1985	16.5	15.9	17.2	16.2	27.5	24.2	30.7	11.1	3.9	18.5*	16.6*	17.2*
1986	2.3*											

*Provisional

MONTHLY MEAN SUNSPOT NUMBERS JANUARY 1944 - JANUARY 1986

11
Jan 86



Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1944	3.7	0.5	11.0	0.3	2.5	5.0	5.0	16.7	14.3	16.9	10.8	28.4
1945	18.5	12.7	21.5	32.0	30.6	36.2	42.6	25.9	34.9	68.8	46.0	27.4
1946	47.6	86.2	76.6	75.7	84.9	73.5	116.2	107.2	94.4	102.3	123.8	121.7
1947	115.7	133.4	129.8	149.8	201.3	163.9	157.9	188.8	169.4	163.6	128.0	116.5
1948	108.5	86.1	94.8	189.7	171.0	167.8	142.2	157.9	143.3	136.3	95.8	138.0
1949	119.1	182.3	157.5	147.0	106.2	121.7	125.8	123.8	145.3	131.6	143.5	117.6
1950	101.6	94.8	109.7	113.4	106.2	83.6	91.0	85.2	51.3	61.4	54.8	54.1
1951	59.9	59.9	55.9	92.9	108.5	100.6	61.5	61.0	83.1	51.6	52.4	45.8
1952	40.7	22.7	22.0	29.1	23.4	36.4	39.3	54.9	28.2	23.8	22.1	34.3
1953	26.5	3.9	10.0	27.8	12.5	21.8	8.6	23.5	19.3	8.2	1.6	2.5
1954	0.2	0.5	10.9	1.8	0.8	0.2	4.8	8.4	1.5	7.0	9.2	7.6
1955	23.1	20.8	4.9	11.3	28.9	31.7	26.7	40.7	42.7	58.5	89.2	76.9
1956	73.6	124.0	118.4	110.7	136.6	116.6	129.1	169.6	173.2	155.3	201.3	192.1
1957	165.0	130.2	157.4	175.2	164.6	200.7	187.2	158.0	235.8	253.8	210.9	239.4
1958	202.5	164.9	190.7	196.0	175.3	171.5	191.4	200.2	201.2	181.5	152.3	187.6
1959	217.4	143.1	185.7	163.3	172.0	168.7	149.6	199.6	145.2	111.4	124.0	125.0
1960	146.3	106.0	102.2	122.0	119.6	110.2	121.7	134.1	127.2	82.8	89.6	85.6
1961	57.9	46.1	53.0	61.4	51.0	77.4	70.2	55.8	63.6	37.7	32.6	39.9
1962	38.7	50.3	45.6	46.4	43.7	42.0	21.8	21.8	51.3	39.5	26.9	23.2
1963	19.8	24.4	17.1	29.3	43.0	35.9	19.6	33.2	38.8	35.3	23.4	14.9
1964	15.3	17.7	16.5	8.6	9.5	9.1	3.1	9.3	4.7	6.1	7.4	15.1
1965	17.5	14.2	11.7	6.8	24.1	15.9	11.9	8.9	16.8	20.1	15.8	17.0
1966	28.2	24.4	25.3	48.7	45.3	47.7	56.7	51.2	50.2	57.2	57.2	70.4
1967	110.9	93.6	111.8	69.5	86.5	67.3	91.5	107.2	76.8	88.2	94.3	126.4
1968	121.8	111.9	92.2	81.2	127.2	110.3	96.1	109.3	117.2	107.7	86.0	109.8
1969	104.4	120.5	135.8	106.8	120.0	106.0	96.8	98.0	91.3	95.7	93.5	97.9
1970	111.5	127.8	102.9	109.5	127.5	106.8	112.5	93.0	99.5	86.6	95.2	83.5
1971	91.3	79.0	60.7	71.8	57.5	49.8	81.0	61.4	50.2	51.7	63.2	82.2
1972	61.5	88.4	80.1	63.2	80.5	88.0	76.5	76.8	64.0	61.3	41.6	45.3
1973	43.4	42.9	46.0	57.7	42.4	39.5	23.1	25.6	59.3	30.7	23.9	23.3
1974	27.6	26.0	21.3	40.3	39.5	36.0	55.8	33.6	40.2	47.1	25.0	20.5
1975	18.9	11.5	11.5	5.1	9.0	11.4	28.2	39.7	13.9	9.1	19.4	7.8
1976	8.1	4.3	21.9	18.8	12.4	12.2	1.9	16.4	13.5	20.6	5.2	15.3
1977	16.4	23.1	8.7	12.9	18.6	38.5	21.4	30.1	44.0	43.8	29.1	43.2
1978	51.9	93.6	76.5	99.7	82.7	95.1	70.4	58.1	138.2	125.1	97.9	122.7
1979	166.6	137.5	138.0	101.5	134.4	149.5	159.4	142.2	188.4	186.2	183.3	176.3
1980	159.6	155.0	126.2	164.1	179.9	157.3	136.3	135.4	155.0	164.7	147.9	174.4
1981	114.0	141.3	135.5	156.4	127.5	90.9	143.8	88.7	167.3	162.4	137.5	150.1
1982	111.2	163.6	153.8	122.0	82.2	110.4	106.1	107.6	118.8	94.7	98.1	127.0
1983	84.3	51.0	66.5	80.7	99.2	91.1	82.2	71.8	50.3	55.8	33.3	33.4
1984	57.0	85.4	83.5	69.7	76.4	46.1	37.4	25.5	15.7	12.0	22.8	18.7
1985	16.5	15.9	17.2	16.2	27.5	24.2	30.7	11.1	3.9	18.5*	16.6*	17.2*
1986	2.3*											

*Provisional

12
Jan 86

H - ALPHA SOLAR FLARES

JANUARY 1986

Sta	Day	Start (UT)	Max (UT)	End (UT)	NOAA/ USAF		CMP Mo	Day	Dur (Min)	Imp Opt	Xray	Obs See	Type	Time (UT)	Area Measurement		Remarks
					Lat	CMD Region									Apparent (10 ⁻⁶ Disk)	Corr (Sq Deg)	
ATHN	13	1029E	1032	1036	S13	W42	01	10.3	70	SF		3	V	1032	32	.5	
RAMY	13	1129E	1243U	1326	S13	W44	01	10.1	117D	SN		3	C		108		
HOLL	13	2019	2021	2030	S10	W49 4710	01	10.2	11	SF		3	C		23		FH
HOLL	13	2113	2114	2135	S10	W50 4710	01	10.1	22	SF		3	C		36		H
HOLL	13	2203	2233	2313	S09	W51 4710	01	10.1	70	SF		3	C		35		F
LEAR	14	0307	0315	0316	S08	W53 4710	01	10.1	9	SF		3	C		18		
LEAR	14	0609	0611	0622	S08	W56 4710	01	10.0	13	SF		3	C		23		
LEAR	14	0623	0633	0636	S08	W56 4710	01	10.1	13	SF		3	C		27		
PEKG	14	0629E	0629	0630	S11	W57	01	10.0	1D	IB		3	C	0629	147	2.7	E
RAMY	14	1507	1508	1545	S14	W60 4710	01	10.1	38	SN	C 3.1	3	C		134		
LEAR	14	2313	2315	2323	S08	W65 4710	01	10.1	10	SF		3	C		39		
PALE	14	2315	2316	2318	S11	W67 4710	01	09.9	3	SF		3	C		33		E
LEAR	15	0129	0142	0147	S08	W67 4710	01	10.0	18	SF		3	C		16		F
PEKG	15	0215	0216	0217	S10	W68	01	10.0	2	SN		3	C	0216	63	1.6	E
LEAR	15	0359	0402	0418	S09	W67 4710	01	10.1	19	SF		3	C		35		F
LEAR	15	0654	0710	0840	S09	W67 4710	01	10.2	106	IN	M 1.1	3	C		122		F
ATHN	15	0659E	0700U	0754D	S08	W68	01	10.2	550	IN		1	V	0700	143	4.0	
RAMY	15	1317	1318	1331	S11	W70 4710	01	10.3	14	SF		3	C		16		
RAMY	15	1342	1344	1347	S11	W71 4710	01	10.2	5	SF	C 2.0	3	C		13		
RAMY	15	1358	1400	1419	S11	W71 4710	01	10.2	21	SF		3	C		29		
RAMY	15	1519	1520	1522	S11	W71 4710	01	10.3	3	SF		3	C		23		
HOLL	15	1645	1645	1655	S13	W73 4710	01	10.2	10	SF		3	C		10		
GOES	15	2057	2121	2131					34		C 6.0						
HOLL	15	2148	2149	2159	S12	W72 4710	01	10.5	11	SF	C 4.6	3	C		14		F
HOLL	15	2235	2236	2237	S12	W72 4710	01	10.5	2	SF		3	C		14		
PEKG	16	0237	0244	0248	S09	W89	01	09.4	11	SF			C	0244	21		D
GOES	16	1200	1210	1218					18		C 4.3						
GOES	16	1359	1409	1423					24		C 1.0						
RAMY	16	1609	1611	1619	S11	W85 4710	01	10.3	10	SF	M 6.6	3	C		21		F
HOLL	16	1616	1617	1623	S09	W86 4710	01	10.2	7	SF	M 6.6	4	C		18		F
HOLL	16	1848	1851	1858	S09	W84 4710	01	10.5	10	SF	M 1.3	4	C		34		F
HOLL	16	2244	2245	2249	S09	W91 4710	01	10.1	5	SF		3	C		11		
GOES	16	2253	2258	2300		4710			7		C 1.0						
GOES	16	2306	2324	2333					27		C 1.9						
GOES	17	0030	0037	0047		4710			17		C 2.0						
GOES	17	0114	0139	0151		4710			37		C 3.6						
GOES	17	0246	0255	0300		4710			14		C 1.3						
GOES	17	0350	0401	0420		4710			30		C 1.7						
GEOR	21	1010	1018	1045	N27	E75	01	27.3	35	IN							DG
PALE	26	1803	1804	1809	S30	E16	01	28.0	6	SF		3	C		23		HS
RAMY	31	1301	1302	1308	S08	E70 4711	02	05.8	7	SN		3	C		66		
HOLL	31	1956E	1956U	2031	S08	E67 4711	02	05.8	35D	SF		3	C		51		F
PALE	31	2321E	2321U	2342	S09	E62 4711	02	05.6	21D	SF		3	C		14		F

"Remarks":


A = Eruptive prominence whose base is less than 90° from central meridian.
B = Probably the end of a more important flare.
C = Invisible 10 minutes before.
D = Brilliant point.
E = Two or more brilliant points.
F = Several eruptive centers.
G = No visible spots in the neighborhood.
H = Flare accompanied by high-speed dark filament.
I = Active region very extended.
J = Distinct variations of plage intensity before or after the flare.
K = Several intensity maxima.
L = Existing filaments show signs of sudden activity.
M = White-light flare.
N = Continuous spectrum shows effects of polarization.

O = Observations have been made in the H and K lines of Ca II.
P = Flare shows helium D3 in emission.
Q = Flare shows Balmer continuum in emission.
R = Marked asymmetry in H-alpha line suggests ejection of high-velocity material.
S = Brightness follows disappearance of filament in same position.
T = Region active all day.
U = Two bright branches, parallel or converging.
V = Occurrence of an explosive phase: important, expansion within roughly 1 minute that often includes a significant intensity increase.
W = Great increase in area after time of maximum intensity.
X = Unusually wide H-alpha line.
Y = System of loop-type prominences.
Z = Major sunspot umbra covered by flare.

INTERVALS OF NO FLARE PATROL OBSERVATION FOR PRECEDING SOLAR FLARE TABLE

13
Jan 86

JANUARY 1986



Times of no flare patrol, shown here as shaded areas, combine reports from the observatories listed below. Portions of a panel completely shaded mark dates and times of no patrol of any kind, that is, of neither visual nor cinematographic; portions of a panel with only the bottom half shaded mark times of strictly visual patrol.

Athens
Bucharest

Culgoora
Holloman

Istanbul
Learmonth

Palehua
Peking

Ramey
Wendelstein

14
Jan 86

SOLAR INTERFEROMETRIC OBSERVATIONS

Nancay

JANUARY 1986

169 MHz

Day

5

10

15

20

25

30

E

C


W

NO DATA

NO DATA

NO DATA

NO DATA




EAST-WEST SOLAR SCANS JANUARY 1986

15
Jan 86

TOYOKAWA, JAPAN

3 CM
FAN BEAM WITH 1.1 MINUTES OF ARC




16
Jan 86

EAST-WEST SOLAR SCANS JANUARY 1986


ALGONQUIN RADIO OBSERVATORY
CANADA

10.7 cm
Fan Beam with 1.5 minutes of arc
E-W Resolution


01
69.3




02
69.9



03
70.7



04
71.9



05
73.1




06
74.7



07
74.0




08
73.6




09
75.2




10
74.7



11
74.4




12
73.6




13
76.8




14
79.0



15
77.7




16
82.5



17
76.9




18
75.5



19
72.5




20
71.5




21
70.1




22
69.5




23
69.1




24
69.0




25
70.2



26
69.9



27
69.3



28
72.2




29
73.4



30
76.0



31
78.9



DATE
TOTAL FLUX
E
ESTIMATED
QUIET SUN
LEVEL
W
PHOTOSPHERE
TIME U.T.

EAST-WEST SOLAR SCANS

17
Jan 86

Fleurs, Australia

JANUARY 1986

21 cm
Fan-Beam with 2 minutes of arc
E-W Resolution



Estimated Quiet Sun Level
Cold Sky Level

01 NO DATA 02 NO DATA 03 NO DATA 04 NO DATA 05 NO DATA 06 NO DATA

E W

07 NO DATA 08 NO DATA 09 NO DATA 10 NO DATA 11 NO DATA 12 NO DATA

E W



31
NO DATA

E W

18
Jan 86


EAST-WEST SOLAR SCANS

Flours, Australia

JANUARY 1986

43 cm
Fan-Beam with 2 minutes of arc
E-W Resolution

Estimated Quiet Sun Level
Cold Sky Level



SOLAR RADIO EMISSION SELECTED FIXED FREQUENCY EVENTS

19
Jan 86

JANUARY 1986

Day	Freq Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
						Peak (10 -22 W/m 2 Hz)	Mean		
07	245 LEAR	47 GB	0740.8	0740.8	.3	77.0			QL=6 ST=2 TYP=5
14	2800 OTTA	240AR	1405.0	1545.0	100.0	3.0	1.5		
	2800 OTTA	45 C	1455.0	1502.4	14.0	15.0	6.0		
	2800 OTTA	29 PBI	1509.0	1509.0	36.0	4.6	2.2		
15	410 LEAR	47 GB	0655.5	0655.6	.3	58.0			QL=6 ST=2 TYP=5
	245 LEAR	4 S/F	0656.3	0659.3	4.7	42.0			QL=6 ST=2 TYP=3
	8800 LEAR	47 GB	0658.6	0659.3	19.2	71.0			QL=6 ST=2 TYP=5
	1415 LEAR	47 GB	0658.6	0659.8	12.0	51.0			QL=6 ST=2 TYP=5
	2695 LEAR	47 GB	0658.6	0705.3	12.2	61.0			QL=6 ST=2 TYP=5
	4995 LEAR	47 GB	0658.6	0705.5	11.2	53.0			QL=6 ST=2 TYP=5
	15400 LEAR	8 S	0659.5	0659.8	.3	31.0			QL=5 ST=2 TYP=3
	2695 PENT	240AR	2100.0	2200.0	60.0	5.2	2.6		
	2800 OTTA	2 S/F	2102.0	2108.0	8.0	3.0	1.4		
	2695 PENT	1 S	2116.0	2119.3	5.0	9.4	4.5		
	2695 PENT	1 S	2145.0	2150.0	9.0	2.6	1.4		
16	2800 OTTA	21 GRF	1530.0	1710.0	140.0	4.4	2.0		
	2800 OTTA	46F C	1607.5	1613.0	17.0	34.4	8.8		
	8800 SGMR	47 GB	1610.3	1612.8	6.8	169.0			QL=6 ST=3 TYP=5
	15400 SGMR	47 GB	1611.1	1612.8	5.9	76.0			QL=6 ST=3 TYP=5
	8800 SGMR	47 GB	1611.8	1612.8	3.8	169.0			QL=6 ST=2 TYP=5
	15400 SGMR	47 GB	1612.6	1612.8	2.7	87.0			QL=6 ST=2 TYP=5
	2800 OTTA	1 S	1628.0	1629.5	5.0	1.2	0.6		
	2800 OTTA	20 GRF	1637.7	1640.0	14.0	12.2	4.6		
	2800 OTTA	20 GRF	1652.0	1657.0	18.0	3.4	1.7		
	2800 OTTA	28 PRE	1810.0	1834.0	30.0	6.4	2.6		
	2695 SGMR	47 GB	1839.6	1849.1	48.4	210.0			QL=1 ST=3 TYP=5
	2800 OTTA	3 S	1840.0	1849.0	46.0	235.0	103.0		
	4995 SGMR	47 GB	1840.6	1849.1	2533.4	239.0			QL=1 ST=3 TYP=5
	1415 SGMR	47 GB	1841.8	1848.6	40.8	130.0			QL=1 ST=3 TYP=5
	2695 SGMR	47 GB	1843.0	1849.1		210.0			QL=1 ST=1 TYP=5
	4995 SGMR	47 GB	1843.1	1849.1		239.0			QL=1 ST=1 TYP=5
	1415 SGMR	47 GB	1845.1	1848.6		130.0			QL=1 ST=1 TYP=5
	15400 PALE	47 GB	1848.3	1852.8	12.8	139.0			QL=6 ST=2 TYP=5
	610 SGMR	47 GB	1859.1	1917.1	31.4	150.0			QL=1 ST=3 TYP=5
	610 PALE	47 GB	1908.6	1909.6	2.2	83.0			QL=6 ST=2 TYP=5
	610 PALE	47 GB	1915.8	1917.1	4.0	130.0			QL=6 ST=2 TYP=5
	2800 OTTA	29 PBI	1926.0	1926.0	150.0	8.0	2.0		
23	410 LEAR	4 S/F	0434.5	0436.0	2.8	42.0			QL=6 ST=2 TYP=3
	245 LEAR	47 GB	0434.8	0436.1	2.5	66.0			QL=6 ST=2 TYP=5
31	8800 ATHN	8 S	1301.0	1302.0	2.0	9.0			QL=6 ST=2 TYP=3
	1415 ATHN	8 S	1302.0	1302.0	1.0	3.0			QL=6 ST=2 TYP=3
	2695 ATHN	8 S	1302.0	1302.0	1.0	2.0			QL=6 ST=2 TYP=3
	4995 ATHN	8 S	1302.0	1302.0	1.0	2.0			QL=5 ST=2 TYP=3

Explanation of Type Code:

1 Simple 1	7 Minor +	24 Rise	30 Post Burst Increase A	43 Onset of Noise Storm
2 Simple 1F	8 Spike	25 Rise A	31 Post Burst Decrease	44 Noise Storm In Progress
3 Simple 2	20 Simple 3	26 Fall	33 Absorption	45 Complex
4 Simple 2F	21 Simple 3A	27 Rise and Fall	40 Fluctuation	46 Complex F
5 Simple	22 Simple 3F	28 Precursor	41 Group of Bursts	47 Great Burst
6 Minor	25 Simple 3AF	29 Post Burst Increase	42 Series of Bursts	48 Major

1A Simple 1A	4A Simple 2AF	24PF Post Rise F	27F Rise and Fall F
3A Simple 2A	24O Rise only	16A Fall A	27AF Rise and Fall AF
21A Simple 3A GRF	24OF Rise only F	26O Fall Only	31A Post Burst Decrease A
2A Simple 1AF	24P Post Rise	26F Fall F	32A Absorption A

Remarks:

QL = Quality (1=poor to 6=excellent)

ST = Status (1=real time; 2=final; 3=correction; 4=deletion)

TYP= Type (1=noise storm; 2=rise in base level; 3=minor; 4=group; 5=major; 6=major plus; 7=Castelli U-type burst)

20
Jan 86


FLUX

January 16, 1985

SELECTED 2800 MHz SOLAR NOISE BURST

A.R.O. OTTAWA, ONT.

CANADA



21
Jan 86


VOSTOK INFERRED INTERPLANETARY MAGNETIC FIELD PRELIMINARY DATA

February 1985 - January 1986

Day	85 Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan 86
1	A	A	A	AT	T	T	T	TA	TA	A	A	AT
2	A	A	A	A	T	T	AT	T	T	AT	A	AT
3	A	AT	A	AT	A	A	T	T	A	A	A	AT
4	T	A	A	TA	A	T	T	T	A	AT	A	T
5	AT	A	A	TA	A	T	T	T	A	A	A	A
6	A	A	A	TA	T	T	T	A	A	A	A	A
7	A	A	A	T	TA	TA	T	A	A	A	T	T
8	AT	AT	A	T	T	T	AT	AT	A	AT	T	T
9	A	T	T	A	TA	T	T	A	T	T	T	T
10	T	T	T	T	T	TA	A	A	AT	T	T	T
11	AT	T	A	A	TA	A	A	AT	AT	T	T	A
12	A	T	AT	T	T	AT	A	AT	T	TA	T	A
13	T	T	AT	T	TA	A	TA	A	T	TA	TA	TA
14	A	T	T	T	AT	A	A	A	T	T	T	AT
15	T	A	A	T	T	A	A	T	AT	T	AT	A
16	T	T	A	T	A	A	A	TA	AT	TA	A	A
17	T	T	A	T	A	A	A	T	T	TA	AT	AT
18	A	A	A	TA	A	A	T	T	T	T	A	T
19	-	T	T	T	A	A	T	A	T	T	A	T
20	T	TA	T	A	A	A	T	A	T	T	T	A
21	AT	T	T	A	A	A	T	T	T	T	AT	T
22	T	T	T	A	AT	TA	T	T	T	T	T	A
23	T	T	A	A	AT	T	TA	TA	T	AT	T	AT
24	T	T	AT	A	A	T	T	T	T	T	T	A
25	-	T	A	A	T	T	T	AT	T	TA	A	A
26	-	T	A	A	T	TA	T	AT	T	AT	T	A
27	-	T	TA	A	T	T	T	T	T	A	A	-
28	-	A	TA	A	T	T	T	T	-	-	A	-
29	-	-	AT	A	T	T	T	T	-	-	-	-
30	-	-	A	A	T	T	T	T	-	-	-	-
31	-	-	-	T	-	T	T	-	-	-	-	-

22
Jan 86


VOSTOK INFERRED INTERPLANETARY MAGNETIC FIELD



Inferred Interplanetary Magnetic Field Polarity:

No box = no data available
 The chart shows the daily inferences of the polarity of the interplanetary magnetic field based principally on the magnetograms produced by the magnetometer at the Vostok Antarctic Station of the USSR.

STANFORD MEAN SOLAR MAGNETIC FIELD



Mean Solar Magnetic Field Polarity: [] = field > 2 microT; [] = -2 microT < field < 2 microT

[] = field < -2 microT; No box = no data available

Observations are taken at 2000 UT. Rotation numbers given are the Bartels series, but the dates are not; these dates mark times of occurrence of phenomena on the Sun that affect the Earth during the given Bartels Rotation.

24
Jan 86

STANFORD MEAN SOLAR MAGNETIC FIELD (MICROTESLA)

Day	Feb 85	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
1	38	31	2	-5	-10	-16	-5	.	13	-7	.	.
2	35	27	-10	-8	-7	-14	1	.	15	-10	.	.
3	32	16	-14	-9	-11	-5	2	7	6	-8	.	.
4	30	13	-13	-5	-12	2	8	3	-6	-15	-16	.
5	15	.	-17	-5	-11	5	11	5	-13	-16	-20	-3
6	.	.	-20	-5	-3	17	6	3	.	-25	-25	1
7	.	-8	-7	-8	4	31	10	.	-20	-26	.	14
8	.	-17	-13	-8	6	24	.	.	-23	.	.	3
9	-4	-13	-6	-5	-1	22	8	-26	-26	-17	-14	11
10	-5	.	-13	4	-4	.	8	-24	-27	.	1	12
11	-1	-4	-29	2	3	12	-9	-24	-21	-6	13	0
12	-2	-1	-19	8	12	7	-16	-22	-23	-5	8	-19
13	-8	-3	-21	1	22	5	-24	-25	-16	5	3	-14
14	-9	-15	-13	.	21	8	-28	-24	-26	11	.	.
15	-23	-12	-12	.	19	6	-22	-21	-20	6	.	.
16	-17	-6	.	11	17	-10	-23	-21	-27	.	-18	-12
17	-13	10	3	22	13	-27	-22	-25	-21	-3	-20	21
18	.	.	-7	33	15	-27	-20	-29	-25	-2	-21	.
19	-12	-7	-10	48	7	-24	-20	-28	.	-11	3	24
20	-17	-6	.	39	-10	.	-17	-22	.	.	11	.
21	-15	-12	5	27	-21	.	-19	-21	-17	-5	15	16
22	-12	-12	6	25	-16	-19	-22	-23	-17	.	22	11
23	-7	-5	18	0	-13	-19	-18	-16	-12	.	28	12
24	-6	.	23	-9	-13	-10	-22	-10	-8	.	15	15
25	2	1	18	-21	-16	-14	-28	-6	.	.	21	10
26	-6	.	1	.	-12	-19	-25	-5	4	15	8	2
27	13	.	-12	-18	-12	-27	-15	.	19	.	.	-3
28	20	37	-27	-8	-9	-26	-9	11	17	.	.	.
29		24	-32	-8	-13	-27	-4	12	14	.	.	.
30		16	-47	-9	-9	-25	-2	-6	16	-8	.	.
31		12		-5		-22	1		5		.	.

Dot symbol indicates no data available for the day.

CONTENTS


Prompt Reports

DATA FOR DECEMBER 1985

Number 498 Part I

SOLAR ACTIVE REGIONS	Page
Solar Synoptic Charts	26-29
Daily Activity Solar Maps	30-60
Calcium Plage Regions/Calcium Plage Index (Unavailable)	
Sunspot Groups.	61-63
SUDDEN IONOSPHERIC DISTURBANCES.	64
PIONEER XII INTERPLANETARY MAGNETIC FIELD MAGNITUDES (Unavailable at time of publication.)	
SOLAR RADIO SPECTRAL OBSERVATIONS.	65
COSMIC RAY MEASUREMENTS BY NEUTRON MONITOR	
Chart of Variations	66
Daily Counting Rates.	67
GEOMAGNETIC INDICES	
Geomagnetic Activity Indices.	68
Daily Average Ap.	69
Chart of Kp by 27-day Rotation.	70
Chart of C9 by 27-day Rotation.	71
Provisional Values of Hourly Equatorial Dst (Not available at time of publication.)	
Principal Magnetic Storms	72
Sudden Commencements/Solar Flare Effects (Not available at time of publication.)	
RADIO PROPAGATION INDICES	
Quality Indices on Paths to Germany	73
Field Strength Diagram - North Atlantic Path.	74-75


PRELIMINARY H - ALPHA SOLAR SYNOPTIC CHART
CARRINGTON ROTATION NUMBER 1769
(November 20 to December 17, 1985)




SOLAR MAGNETIC FIELD SYNOPSIS CHART **CARRINGTON ROTATION NUMBER 1769** **(November 20 to December 17, 1985)**

Stanford Solar Observatory

0, +100, 500, 1000, 2000 microTesla




PRELIMINARY H - ~~AWA~~ SOLAR SYNOPTIC CHART
CARD ~~ON~~ ROTATION NUMBER 1770
(December 17, 1985, to January 14, 1986)



SOLAR MAGNETIC FIELD SYNOPTIC CHART **CARRINGTON ROTATION NUMBER 1770** **(December 17, 1985, to January 14, 1986)**

Stanford Solar Observatory


0, +100, 500, 1000, 2000 microTesla



KITT PEAK MAGNETOGRAM

Bright= +
Dark = -

Np




1712 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




NO DATA

1555 UT

MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -

Np



NO DATA


SACRAMENTO PEAK H-ALPHA



1556 UT

Sp


BOULDER SUNSPOTS



NO SPOTS OBSERVED

Sp

SACRAMENTO PEAK CORONA (1.15 Radii)



5 μ


Sp

— 5303A(x1) 1726 UT
.... 6374A(x2) 1758 UT
xxxx 5694A(x6) 1744 UT
NO 5894A ACTIVITY TODAY

DECEMBER 02, 1985 (P= 15.64, B₀ = 0.76, L₀ = 208.83)
 KITT PEAK MAGNETOGRAM
 STANFORD MAGNETOGRAM
 MT. WILSON MAGNETOGRAM

Bright= +
 Dark = -


Np



1806 UT

Solid = +
 Dashed = -

Np




1600 UT

NO DATA

NO DATA


Solid = +
 Dotted = -

Np




1553 UT

SACRAMENTO PEAK H-ALPHA



1553 UT


BOULDER SUNSPOTS



1600 UT

NO SPOTS OBSERVED

SACRAMENTO PEAK CORONA (1.15 Radii)



1553 UT

15 μ

5303A(x1) 1726 UT


KITT PEAK MAGNETOGRAM

DECEMBER 03, 1985

(P= 15.25, B₀ = 0.64, L₀ = 195.65)

Bright= +
Dark = -


Np



2130 UT

Solid = +
Dashed = -

Np



NO DATA


STANFORD MAGNETOGRAM

Np

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np



16.01 -
16.93 UT

32
Dec 85
DeltaY=13.0
DeltaX= 9.7


SACRAMENTO PEAK H-ALPHA



1705 UT

Sp

HOLLOMAN SUNSPOTS




NO SPOTS OBSERVED

1955 UT

Sp

SACRAMENTO PEAK CORONA (1.15 Radii)



15 μ

— 5303A(x1) 1930 UT
.... 6374A(x2) 2001 UT
xxxx 5694A(x6) 1949 UT
NO 5894A ACTIVITY TODAY

KITT PEAK MAGNETOGRAM

1985

(P= 14.85, B₀ = 0.51, L₀ = 182.47)

STANFORD MAGNETOGRAM

MT. WILSON MAGNETOGRAM

Bright= +
Dark = -

Np


Solid = +
Dashed = -

Np


Solid = +
Dotted = -

Np


Delta Y=13.0
Delta X= 9.7



1545 UT




SACRAMENTO PEAK H-ALPHA




1522 UT

BOULDER SUNSPOTS



1840 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




5303A(x1) 1601 UT
6374A(x2) 1640 UT
xxxx 5694A(x6) 1618 UT
NO 5894A ACTIVITY TODAY

DECEMBER 05, 1985 (P= 14.45, B₀ = 0.39, L= 169.29)
 KITT PEAK MAGNETOGRAM
 STANFORD MAGNETOGRAM
 MT. WILSON MAGNETOGRAM
 Sacramento Peak H-Alpha
 Sacramento Peak Corona (1.15 Radii)
 Dec 85
 Delta Y=13.0
 Delta X= 9.7


Bright= +
 Dark = -

Np




Solid = +
 Dashed = -

Np




2208 UT

Np



17.95 -
 18.86 UT


SACRAMENTO PEAK H-ALPHA



1459 UT

Sp


HOLLOMAN SUNSPOTS



1707 UT

Sp

SACRAMENTO PEAK CORONA (1.15 Radii)






5303A(x1) 1638 UT
 6374A(x2) 1725 UT
 5694A(x6) 1703 UT
 NO 5894A ACTIVITY TODAY

DECEMBER 06, 1985 (P= 14.04, B₀ = 0.26, L₀ = 156.12)
 KITT PEAK MAGNETOGRAM
 STANFORD MAGNETOGRAM
 MT. WILSON MAGNETOGRAM

Bright= +
 Dark = -

Solid = +
 Dashed = -

Solid = +
 Dotted = -






1552 UT

2012 UT

SACRAMENTO PEAK H-ALPHA

HOLLOMAN SUNSPOTS

SACRAMENTO PEAK CORONA (1.15 Radii)



2322 UT

2141 UT

E

Sp

Sp


E

DECEMBER 07, 1985 (P= 13.62, $B_0 = 0.13$, $L_0 = 142.94$)

KITT PEAK MAGNETOGRAM

Np

Bright= +
Dark = -




1556 UT


STANFORD MAGNETOGRAM

Np

Solid = +
Dashed = -




SACRAMENTO PEAK H-ALPHA



1530 UT

BOULDER SUNSPOTS




2030 UT

MT. WILSON MAGNETOGRAM


Np

Solid = +
Dotted = -



20.96 -
21.88 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



Sp


Dec 36
85
DeltaY=13.05
DeltaX= 9.7

DECEMBER 08, 1985 (P= 13.20, B₀ = 0.01, L₀ = 129.76)

KITT PEAK MAGNETOGRAM


Bright = +
Dark = -

Np



1707 UT

SACRAMENTO PEAK H-ALPHA




1515 UT

STANFORD MAGNETOGRAM


Np

Solid = +
Dashed = -



1731 UT

BOULDER SUNSPOTS




1650 UT

Sp

MT. WILSON MAGNETOGRAM


Np

Solid = +
Dotted = -



17.76 -
18.68 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1554 UT
.... 6374A(x2) 1644 UT
xxxx 5694A(x6) 1624 UT
NO 5894A ACTIVITY TODAY


Sp

DECEMBER 09, 1985 (P= 12.78, B₀ = -0.12, L₀ = 116.59)

KITT PEAK MAGNETOGRAM

Np

Bright = +
Dark = -




1630 UT

STANFORD MAGNETOGRAM

Np

Solid = +
Dashed = -




1923 UT

MT. WILSON MAGNETOGRAM

Np


Solid = +
Dotted = -



21.07 -
21.98 UT

Delta Y = 13.11
Delta X = 9.7


SACRAMENTO PEAK H-ALPHA



1510 UT

Sp


HOLLOMAN SUNSPOTS



1555 UT

Sp

SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1535 UT
.... 6374A(x2) 1611 UT
xxxx 5694A(x6) 1600 UT
NO 5894A ACTIVITY TODAY

Sp

KITT PEAK MAGNETOGRAM

Bright = +
Dark = -

Np




1525 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




1729 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np



16.92 -
17.28 UT


DeltaY=20.0
DeltaX=13.1

SACRAMENTO PEAK H-ALPHA



1455 UT


HOLLOMAN SUNSPOTS



1722 UT

4708




SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1600 UT
.... 6374A(x2) 1635 UT
xxxx 5694A(x6) 1620 UT
NO 5894A ACTIVITY TODAY

Sp


DECEMBER 11, 1985 (P= 11.91, B₀ = -0.37, L₀ = 90.24)
 STANFORD MAGNETOGRAM
 MT. WILSON MAGNETOGRAM
 KITT PEAK MAGNETOGRAM
 Sacramento Peak H-Alpha
 Dec 85
 Delta Y = 13.1
 Delta X = 9.7
 Solid = +
 Dashed = -
 Bright = +
 Dark = -
 Np
 E




SACRAMENTO PEAK H-ALPHA



HOLLOMAN SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1538 UT
 6374A(x2) 1613 UT
 xxxx 5694A(x6) 1603 UT
 NO 5894A ACTIVITY TODAY


1508 UT
 1728 UT
 18.90 -
 19.81 UT

DECEMBER 11

KITT PEAK MAGNETOGRAM

Np

Bright = +
Dark = -




E-

STANFORD MAGNETOGRAM

Np

Solid = +
Dashed = -




1819 UT

0 MT. WILSON MAGNETOGRAM

Np

Solid = +
Dotted = -

Delta Y = 13.1
Delta X = 9.7




17.53 -
18.45 UT


SACRAMENTO PEAK CORONA (1.15 Radfi)

BOULDER SUNSPOTS


SACRAMENTO PEAK H-ALPHA



E-



1715 UT



Sp

Sp


DECEMBER 13, 1985 (P= 11.03, $B_0 = -0.62$, $L_0 = 63.88$)

42
Dec 85
DeltaY=13.11
DeltaX= 9.7

KITT PEAK MAGNETOGRAM

Bright = +
Dark = -

Np




1556 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




2043 UT

MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -

Np




17.54 -
18.45 UT

SACRAMENTO PEAK H-ALPHA




1509 UT

BOULDER SUNSPOTS



1645 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 2110 UT
.... 6374A(x2) 2150 UT
xxxx 5694A(x6) 2135 UT
NO 5894A ACTIVITY TODAY

DECEMBER 14, 1985 (P= 10.59, $B_0 = -0.75$, $L_0 = 50.71$)

KITT PEAK MAGNETOGRAM

Bright= +
Dark = -

Np




1554 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




2141 UT

MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -

Np




19.16 -
20.08 UT

SACRAMENTO PEAK H-ALPHA




1522 UT

HOLLOMAN SUNSPOTS



1740 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



Sp




44
Dec 85

DECEMBER 15, 1985 (P= 10.14, B₀ = -0.88, L₀ = 37.54)


KITT PEAK MAGNETOGRAM
Np
Bright = +
Dark = -

STANFORD MAGNETOGRAM
Np
Solid = +
Dashed = -


MT. WILSON MAGNETOGRAM
Np
Solid = +
Dotted = -




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




DECEMBER 16, 1985 (P= 9.68, $B_0 = -1.00$, $L_0 = 24.36$)

STANFORD MAGNETOGRAM


Bright= +
Dark = -

Np



Solid = +
Dashed= -


Np



2040 UT


Solid = +
Dotted= -

Np




22.11 -
23.03 UT

SACRAMENTO PEAK H-ALPHA




1559 UT

BOULDER SUNSPOTS



1530 UT

SACRAMENTO PEAK CORONA (1.15 Radii)






Sp

Sp


E-

E-


DECEMBER 17, 1985 (P= 9.22, B₀=-1.13, L₀= 11.19)
 KITT PEAK MAGNETOGRAM
 Bright= +
 Dark = -
 Np
 STANFORD MAGNETOGRAM
 Solid = +
 Dashed = -
 Np
 MT. WILSON MAGNETOGRAM
 Solid = +
 Dotted = -
 Np
 DeltaY=13.9
 DeltaX= 9.6




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1555 UT
 6374A(x2) 1632 UT
 xxxx 5694A(x6) 1617 UT
 NO 5894A ACTIVITY TODAY

DECEMBER 18, 1985 (P= 8.76, B₀=-1.25, L₀= 358.01)

KITT PEAK MAGNETOGRAM
STANFORD MAGNETOGRAM
MT. WILSON MAGNETOGRAM

Bright= +
Dark = -

Np


Solid = +
Dashed = -

Np


Solid = +
Dotted = -

Np


DeltaY=12.9
DeltaX= 9.7



1636 UT




2012 UT




17.42 -
18.34 UT

SACRAMENTO PEAK H-ALPHA




E-

BOULDER SUNSPOTS



2040 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1511 UT
.... 6374A(x2) 1518 UT
xxxx 5694A(x6) 1554 UT
NO 5894A ACTIVITY TODAY

DECEMBER 19, 1985 (P= 8.30, B₀ = -1.38, L₀ = 344.84)

KITT PEAK MAGNETOGRAM

Bright= +
Dark = -


Np



STANFORD MAGNETOGRAM

Solid = +
Dashed = -


Np




MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)



— 5303A(x1) 1833 UT
.... 6374A(x2) 1920 UT
xxxx 5694A(x6) 1909 UT
NO 5894A ACTIVITY TODAY




DECEMBER 20, 1985 (P= 7.83, B₀=-1.50, L₀= 331.67)
 KITT PEAK MAGNETOGRAM
 STANFORD MAGNETOGRAM
 MT. WILSON MAGNETOGRAM

Bright= +
 Dark = -

Solid = +
 Dashed = -

Solid = +
 Dotted = -

Delta Y=12.9
 Delta X= 9.7




17.93 -
 18.86 UT
 SACRAMENTO PEAK CORONA (1.15 Radii)

BOULDER SUNSPOTS

2111 UT


1544 UT

SACRAMENTO PEAK H-ALPHA




1725 UT

1915 UT



5303A(x1) 2053 UT
 6374A(x2) 2136 UT
 xxx 5694A(x6) 2117 UT
 NO 5894A ACTIVITY TODAY



Sp

Sp

Sp

E-

E-

DECEMBER 21, 1985 (P= 7.37, B₀=-1.62, L₀= 318.49)

KITT PEAK MAGNETOGRAM

Np

Bright= +
Dark = -




1535 UT

STANFORD MAGNETOGRAM

Np

Solid = +
Dashed = -




2353 UT

MT. WILSON MAGNETOGRAM

Np


Solid = +
Dotted = -



17.76 -
18.69 UT

50
Dec 85
DeltaY=12.9
DeltaX= 9.7


SACRAMENTO PEAK H-ALPHA



1515 UT

Sp


HOLLOMAN SUNSPOTS



1715 UT

Sp

SACRAMENTO PEAK CORONA (1.15 Radii)



Sp


— 5303A(x1) 1639 UT
.... 6374A(x2) 1715 UT
xxxx 5694A(x6) 1701 UT
NO 5894A ACTIVITY TODAY

DECEMBER 22, 1985 $\lambda = 33^\circ$, $\rho_0 = 1.75$, $L_0 = 305.32$

STANFORD MAGNETOGRAM


Bright = +
Dark = -

Np




1605 UT

SACRAMENTO PEAK H-ALPHA




1535 UT

BOULDER SUNSPOTS



1535 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



Sp


5303A(x1) 1939 UT
6374A(x2) 2012 UT
xxxx 5694A(x6) 1959 UT
NO 5894A ACTIVITY TODAY

52
Dec 85

DECEMBER 23, 1985 (P= 6.42, $B_0 = -1.87$, $L_0 = 292.15$)
 KITT PEAK MAGNETOGRAM
 STANFORD MAGNETOGRAM
 MT. WILSON MAGNETOGRAM

Bright= +
Dark = -


Np



1550 UT

Solid = +
Dashed = -


Np



2132 UT


Solid = +
Dotted = -

Np



NO DATA


SACRAMENTO PEAK H-ALPHA



1517 UT

Sp

BOULDER SUNSPOTS




NO SPOTS OBSERVED

1915 UT

Sp

SACRAMENTO PEAK CORONA (1.15 Radii)



NO DATA


Sp

DECEMBER 24, 1985 (P= 5.94, B₀=-1.99, L₀= 278.97)

KITT PEAK MAGNETOGRAM

Bright= +
Dark = -


Np



STANFORD MAGNETOGRAM

Solid = +
Dashed = -


Np



MT. WILSON MAGNETOGRAM


Solid = +
Dotted = -

Np



DeltaY=12.9
DeltaX= 9.7


SACRAMENTO PEAK H-ALPHA



1701 UT

Sp

HOLLOMAN SUNSPOTS




1746 UT

Sp




SACRAMENTO PEAK CORONA (1.15 Radii)

16.51 -
17.43 UT




— 5303A(x1) 1523 UT
.... 6374A(x2) 1602 UT
xxxx 5694A(x6) 1546 UT
NO 5894A ACTIVITY TODAY


DECEMBER 25, 1985 (P= 5.47, B₀=-2.11, L₀= 265.80)
 KITT PEAK MAGNETOGRAM
 Bright= +
 Dark = -
 NP
 STANFORD MAGNETOGRAM
 Solid = +
 Dashed = -
 NP
 MT. WILSON MAGNETOGRAM
 Solid = +
 Dotted = -
 NP
 Delta Y = 12.9
 Delta X = 9.7
 54
 Dec 85




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radii)




DECEMBER 26, 1983 (P= 4.99, $\phi_0 = -2.23$, $L_0 = 252.03$)

KITT PEAK MAGNETOGRAM

Bright = +
Dark = -

Np




1556 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




1949 UT

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np



17.82 -
18.75 UT


Delta Y = 12.9
Delta X = 9.7

SACRAMENTO PEAK H-ALPHA




1619 UT

BOULDER SUNSPOTS



1645 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



NO DATA

Sp

Sp


Sp

DECEMBER 27, 1985 (P= 4.51, B₀=-2.35, L₀= 239.46)

KITT PEAK MAGNETOGRAM

Np

Bright= +
Dark = -




1519 UT


STANFORD MAGNETOGRAM

Np

Solid = +
Dashed = -



SACRAMENTO PEAK H-ALPHA




1512 UT

MT. WILSON MAGNETOGRAM


Np

Solid = +
Dotted = -



16.26 -
17.19 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1529 UT
xxxx 5694A(x6) 1554 UT
NO 5894A ACTIVITY TODAY

56
Dec 85
Delta Y=13.0
Delta X= 9.7

DECEMBER 28, 1985 (P= 4.03, B₀ = -2.47, L₀ = 226.28)


KITT PEAK MAGNETOGRAM

Bright = +
Dark = -
Np



1525 UT


SACRAMENTO PEAK H-ALPHA




1514 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -
Np




HOLLOMAN SUNSPOTS



1639 UT


MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -
Np



18.79 -
19.72 UT

SACRAMENTO PEAK CORONA (1.15 Radii)



Delta Y = 12.9
Delta X = 9.7


58
Dec 85

DECEMBER 29, 1985 (P= 3.54, B₀ = -2.59, L₀ = 213.11)

KITT PEAK MAGNETOGRAM

Bright = +
Dark = -

Np




1705 UT

Solid = +
Dashed = -

Np


STANFORD MAGNETOGRAM



Solid = +
Dotted = -

Np

MT. WILSON MAGNETOGRAM




SACRAMENTO PEAK H-ALPHA




1726 UT

HOLLOMAN SUNSPOTS



1647 UT

SACRAMENTO PEAK CORONA (1.15 Radii)




DECEMBER 30, 1985 (P= 3.06, B₀=-2.71, L₀= 199.94)

KITT PEAK MAGNETOGRAM

Bright= +
Dark = -

Np




1551 UT

STANFORD MAGNETOGRAM

Solid = +
Dashed = -

Np




NO DATA

MT. WILSON MAGNETOGRAM

Solid = +
Dotted = -


Np

DeltaY=13.0
DeltaX= 9.7



21.96 -
22.89 UT


SACRAMENTO PEAK H-ALPHA



1507 UT

Sp

HOLLOMAN SUNSPOTS




NO SPOTS OBSERVED

1837 UT

Sp




SACRAMENTO PEAK CORONA (1.15 Radii)




— 5303A(x1) 1551 UT
.... 6374A(x2) 1632 UT
xxxx 5694A(x6) 1614 UT
NO 5894A ACTIVITY TODAY

60
Dec 85


DECEMBER 31, 1985 (P= 2.58, B₀ = -2.83, L₀ = 186.77)
KITT PEAK MAGNETOGRAM
Bright = +
Dark = -
Np
STANFORD MAGNETOGRAM
Solid = +
Dashed = -
Np
MT. WILSON MAGNETOGRAM
Solid = +
Dotted = -
Np




SACRAMENTO PEAK H-ALPHA



BOULDER SUNSPOTS



SACRAMENTO PEAK CORONA (1.15 Radfi)



S U N S P O T G R O U P S
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

61
Dec 85

DECEMBER 1985

NOAA/ USAF Group	Mt Wilson Group	Sta	Observation Time (UT)	Lat	CMD	CMP Mo Day	Max H	Mag Class	Spot Class	Corrected Area (10-6 Hemi)	Spot Count	Long. Extent (Deg)	Qual
4705		RAMY	12 02 1337	S12	E03	12 2.8		A	AXX		1		4
4705		HOLL	12 02 1739	S11	E01	12 2.8		B	BXO	10	2	2	3
4705		PALE	12 02 2029	S12	W01	12 2.8		A	AXX	10	2	2	1
4705		LEAR	12 03 0006	S11	W03	12 2.8		B	BXO	10	2	3	3
4706		ATHN	12 05 0740	N21	W21	12 3.7		A	AXX	10	1		4
4706		LEAR	12 05 0817	N21	W22	12 3.7		A	AXX	10	1	1	3
4706	24283	ATHN	12 05 1045	N21	W23	12 3.7		B	BXO	20	2	3	4
4706		MWIL	12 05 1630	N2J	W27	12 3.6	5	(BP)					
4706		HOLL	12 05 1707	N21	W27	12 3.6		B	CRO	50	7	4	3
4706		PALE	12 05 1955	N19	W30	12 3.5		B	CRO	40	8	5	2
4706		LEAR	12 06 0007	N20	W30	12 3.7		B	BXO	20	4	5	3
4706		ATHN	12 06 0700	N21	W33	12 3.8			CRO	40	6	5	2
4706	24283	RAMY	12 06 1314	N18	W39	12 3.6		B	DRO	50	9	6	3
4706		MWIL	12 06 1615	N20	W40	12 3.6	4	(BP)					
4706		HOLL	12 06 2141	N19	W44	12 3.5		B	CRO	50	7	6	3
4706		LEAR	12 07 0008	N20	W46	12 3.5		B	CRO	70	7	6	4
4706		ATHN	12 07 0705	N21	W48	12 3.6			CSO	60	2	6	3
4706		RAMY	12 07 1248	N19	W53	12 3.5		B	BXO	10	2	5	4
4706	24283	MWIL	12 07 1730	N20	W55	12 3.5	4	(B)					
4706		HOLL	12 07 1750	N19	W55	12 3.5		B	BXO		2	5	3
4706		LEAR	12 08 0059	N20	W63	12 3.2		A	AXX	10	1	1	2
4706A	24282	MWIL	12 04 1600	S04	E07	12 5.2	2	(AF)					
4707		ATHN	12 06 0700	N08	E28	12 8.4			BXO	10	2	3	2
4707		RAMY	12 06 1314	N08	E25	12 8.4		A	AXX		1		3
4707	24284	MWIL	12 06 1615	N08	E23	12 8.4	3	(BF)					
4707		HOLL	12 06 2141	N08	E20	12 8.4		A	AXX		1		3
4707		LEAR	12 07 0008	N08	E18	12 8.4		A	AXX	10	1	1	4
4708		LEAR	12 09 0710	N03	E85	12 15.7		B	BXO	30	2	1	3
4708		HOLL	12 09 1555	N04	E80	12 15.6		B	CRO	10	2	2	3
4708	24285	MWIL	12 09 1600	N05	E85	12 16.0	2	(AP)					
4708		RAMY	12 09 1701	N05	E80	12 15.7		A	AXX	20	4	2	3
4708		PALE	12 09 2005	N05	E78	12 15.7		B	BXO	10	4	3	3
4708		LEAR	12 10 0015	N03	E76	12 15.7		B	BXO	40	3	6	2
4708		RAMY	12 10 1426	N04	E69	12 15.8		B	CRO	20	4	3	3
4708	24285	MWIL	12 10 1615	N03	E66	12 15.6	3	(B)					
4708		HOLL	12 10 1722	N03	E67	12 15.7		B	CRO	30	4	7	2
4708		PALE	12 10 1813	N05	E63	12 15.5		B	CRO	20	3	3	2
4708		LEAR	12 11 0015	N04	E62	12 15.6		B	CRO	50	4	5	2
4708		ATHN	12 11 0650	N02	E59	12 15.7		B	CSO	70	4	2	2
4708		BOUL	12 11 1545	N03	E48	12 15.2		A	AXX		1	1	2
4708		RAMY	12 11 1647	N04	E55	12 15.8		B	CAO	60	8	9	4
4708		HOLL	12 11 1728	N03	E53	12 15.7		B	CAO	40	3	4	2
4708	24285	MWIL	12 11 1800	N03	E50	12 15.5	4	(AP)					
4708		PALE	12 11 1937	N04	E51	12 15.6		B	DSO	50	5	2	3
4708		LEAR	12 12 0003	N04	E49	12 15.7		B	CAO	50	4	5	2
4708		RAMY	12 12 1345	N04	E42	12 15.7		B	CAO	90	16	9	3
4708	24285	MWIL	12 12 1630	N03	E37	12 15.5	4	(B)					
4708		PALE	12 12 1801	N05	E37	12 15.5		B	CAO	70	13	4	3
4708		LEAR	12 13 0010	N04	E34	12 15.5		B	CAO	50	7	3	2
4708		ATHN	12 13 1025	N03	E34	12 16.0			CAO	60	3	3	1
4708		RAMY	12 13 1340	N03	E30	12 15.8		B	CRO	50	8	10	3
4708		HOLL	12 13 1552	N04	E26	12 15.6		B	CRO	30	4	3	2
4708	24285	MWIL	12 13 1615	N03	E24	12 15.5	4	(BF)					
4708		BOUL	12 13 1645	N03	E22	12 15.3		B	CSO	50	2	4	2
4708		LEAR	12 14 0157	N05	E21	12 15.7		B	CAO	80	10	6	3
4708		RAMY	12 14 1417	N03	E12	12 15.5		B	CAO	30	5	9	3
4708	24285	MWIL	12 14 1700	N04	E11	12 15.5	4	(AP)					
4708		HOLL	12 14 1740	N05	E12	12 15.6		B	DRO	20	4	2	3
4708		PALE	12 14 1810	N04	E13	12 15.7		B	CRO	40	8	6	3
4708		LEAR	12 15 0120	N05	E09	12 15.7		B	CRO	40	8	11	3
4708		BOUL	12 15 1545	N05	E01	12 15.7		B	BXO	30	4	6	2
4708		RAMY	12 15 1600	N02	E01	12 15.7		B	DRO	70	28	10	4
4708	24285	MWIL	12 15 1700	N03	E01	12 15.8	4	(B)					
4708		HOLL	12 15 1735	N03	W00	12 15.7		B	DRI	150	27	7	3
4708		PALE	12 15 1928	N04	W01	12 15.7		B	DAO	40	18	9	2
4708		LEAR	12 16 0014	N03	W03	12 15.8		B	DRO	50	31	9	3
4708		ATHN	12 16 0715	N03	W07	12 15.8			DRI	80	10	7	3

SUNSPOT GROUPS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

DECEMBER 1985

NOAA/ USAF Group	Mt Wilson Group	Sta	Observation Time Mo Day (UT)	Lat CMD	CMP Mo Day	Max H	Mag Class	Spot Class	Corrected Area (10-6 Hem1)	Spot Count	Long. Extent (Deg)	Qual
4708		BOUL	12 16 1530	N03 W14	12 15.6		B	DRO	60	4	6	1
4708		RAMY	12 16 1600	N02 W13	12 15.7		B	DRI	100	29	9	3
4708	24285	MWIL	12 16 1730	N03 W15	12 15.6	5	(B)					
4708		HOLL	12 16 1742	N03 W13	12 15.8		B	DRI	100	26	8	3
4708		PALE	12 16 2014	N03 W14	12 15.8		B	DSO	90	26	7	2
4708		LEAR	12 17 0025	N03 W17	12 15.7		B	DSI	70	27	7	1
4708		ATHN	12 17 0730	N04 W22	12 15.7		B	DSI	90	11	8	3
4708		RAMY	12 17 1350	N02 W23	12 15.9		B	DAO	90	19	9	3
4708		HOLL	12 17 1557	N03 W25	12 15.8		B	DSI	90	14	8	3
4708	24285	MWIL	12 17 1615	N03 W26	12 15.7	5	(B)					
4708		BOUL	12 17 1645	N03 W26	12 15.8		B	DRO	60	5	7	2
4708		PALE	12 17 1952	N03 W28	12 15.7		B	DRO	40	14	7	2
4708		LEAR	12 18 0015	N03 W30	12 15.8		B	DAO	60	11	6	2
4708		ATHN	12 18 0645	N04 W32	12 15.9		B	DSI	80	6	9	1
4708		RAMY	12 18 1410	N03 W38	12 15.8		B	DAO	60	11	8	3
4708	24285	MWIL	12 18 1600	N02 W38	12 15.8	4	(B)					
4708		HOLL	12 18 1655	N03 W38	12 15.9		B	DAO	60	5	7	3
4708		PALE	12 18 1823	N03 W41	12 15.7		B	DRO	30	7	7	2
4708		BOUL	12 18 2040	N03 W38	12 16.0		B	DRO	20	2	3	1
4708		LEAR	12 19 0009	N02 W44	12 15.7		B	CAO	30	6	6	3
4708		RAMY	12 19 1235	N01 W58	12 15.2		B	BXO	20	3	2	3
4708	24285	MWIL	12 19 1545	N00 W48	12 16.1	4	(AF)					
4708		BOUL	12 19 1615	N02 W49	12 16.0		A	AXX	10	1	1	1
4708		HOLL	12 19 1755	N01 W54	12 15.7		B	CRO	40	3	5	3
4708		PALE	12 19 2056	N01 W53	12 15.9		A	AXX	10	1	1	3
4708		HOLL	12 20 1732	N04 W71	12 15.4		A	AXX		1		2
4709		LEAR	12 14 0157	S11 E45	12 17.5		B	CRO	30	2	2	3
4709		RAMY	12 14 1417	S09 E38	12 17.4		B	CRO	30	4	3	3
4709	24286	MWIL	12 14 1700	S09 E37	12 17.5	4	(B)					
4709		HOLL	12 14 1740	S09 E37	12 17.5		B	CRO	40	6	4	3
4709		PALE	12 14 1810	S09 E36	12 17.5		B	CRO	20	7	4	3
4709		LEAR	12 15 0120	S09 E32	12 17.5		B	DRO	30	5	5	3
4709		BOUL	12 15 1545	S08 F22	12 17.3		B	BXO	10	2	4	2
4709		RAMY	12 15 1600	S09	12		B	DRO	40	10	5	4
4709	24286	MWIL	12 15 1700	S09	12		(B)					
4709		HOLL	12 15 1735	S09	12		B	DRO	90	12	6	3
4709		PALE	12 15 1928	S09	12		B	DAO	30	8	6	2
4709		LEAR	12 16 0014	S09	12		B	DRO	30	13	6	3
4709		ATHN	12 16 0715	S09 E13	12 17.3		B	DRI	60	8	6	3
4709		BOUL	12 16 1530	S09 E05	12 17.0		B	DRO	50	5	7	1
4709		RAMY	12 16 1600	S09 E10	12 17.4		B	DRI	70	17	9	3
4709	24286	MWIL	12 16 1730	S09 E06	12 17.2	5	(B)					
4709		HOLL	12 16 1742	S08 E08	12 17.3		B	DRO	120	17	8	3
4709		PALE	12 16 2014	S08 E07	12 17.4		B	DSO	80	13	8	2
4709		LEAR	12 17 0025	S09 E05	12 17.4		B	DSI	100	17	9	1
4709		ATHN	12 17 0730	S06 W03	12 17.1		B	DSI	110	12	10	3
4709		RAMY	12 17 1350	S09 W03	12 17.4		B	DAI	80	16	10	3
4709		HOLL	12 17 1557	S08 W05	12 17.3		B	ESO	120	19	11	3
4709	24286	MWIL	12 17 1615	S09 W05	12 17.3	5	(BF)					
4709		BOUL	12 17 1645	S08 W06	12 17.2		B	DRO	50	5	10	2
4709		PALE	12 17 1952	S09 W07	12 17.3		B	EAI	80	19	11	2
4709		LEAR	12 18 0015	S09 W10	12 17.3		B	EAO	70	19	12	2
4709		ATHN	12 18 0645	S09 W13	12 17.3		B	ESI	80	7	11	1
4709		RAMY	12 18 1410	S09 W18	12 17.2		B	EAO	80	15	12	3
4709	24286	MWIL	12 18 1600	S09 W18	12 17.3	5	(BF)					
4709		HOLL	12 18 1655	S08 W18	12 17.4		B	EAI	100	11	12	3
4709		PALE	12 18 1823	S10 W20	12 17.3		B	EAI	50	13	12	2
4709		BOUL	12 18 2040	S08 W20	12 17.4		B	ERI	50	7	11	1
4709		LEAR	12 19 0009	S09 W24	12 17.2		B	EAO	60	15	13	3
4709		RAMY	12 19 1235	S10 W28	12 17.4		B	CAO	40	9	12	3
4709	24286	MWIL	12 19 1545	S10 W30	12 17.4	4	(BF)					
4709		BOUL	12 19 1615	S10 W32	12 17.3		B	CSO	60	4	11	1
4709		HOLL	12 19 1755	S11 W34	12 17.2		B	ERO	70	11	14	3
4709		PALE	12 19 2056	S10 W39	12 16.9		B	DSO	60	7	8	3
4709		LEAR	12 20 0320	S09 W40	12 17.1		B	CSO	30	6	11	2
4709		RAMY	12 20 1350	S11 W60	12 16.1		B	BXO	10	6	8	3
4709	24286	MWIL	12 20 1545	S10 W46	12 17.2	5	(B)					
4709		HOLL	12 20 1732	S10 W50	12 17.0		B	CRO	40	7	6	2
4709		BOUL	12 20 1915	S10 W52	12 16.9		B	CSO	30	4	5	1
4709		PALE	12 20 2130	S11 W52	12 17.0		B	CSO	50	4	8	2

S U N S P O T G R O U P S
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

63
Dec 85

DECEMBER 1985

NOAA/ USAF Group	Mt Wilson Group	Sta	Observation Time		Lat CMD	CMP Mo Day	Max H	Mag Class	Spot Class	Corrected Area (10-6 Hemi)	Spot Count	Long. Extent (Deg)	Qual
4709		LEAR	12	21	0002	S09 W51	12 17.2		B CS0	40	6	10	3
4709		RAMY	12	21	1350	S11 W60	12 17.1		B BX0	10	6	8	3
4709	24286	MWIL	12	21	1445	S10 W60	12 17.1	5	(B)				
4709		HOLL	12	21	1715	S09 W64	12 16.9		B BX0	40	3	7	3
4709		PALE	12	21	1924	S11 W65	12 16.9		B BX0	20	3	8	4

SUDDEN IONOSPHERIC DISTURBANCES

DECEMBER 1985

Day	Start (UT)	Max (UT)	End (UT)	Imp	Wide- spread Index	Number of Station Reports by Type					Known Flare	X-ray Class	NOAA/SESC Region
						SWF	SEA	SPA	LF- SPA	SES			
07	1000	1058	1200	1-	3			1		1	No Flare		
10	1202	1205U	1224	1	1		1				No Flare		
10	1232	1236U	1254	1	3		2				No Flare		
10	1300	1310	1340	1	1		1				No Flare		
11	0733	0754	0854	1	1				1		No Flare		
11	1000	1016	1027	1	3		4				No Flare		
11	1106	1120	1142	1	3		3				No Flare		
12	0532	0553	0600	1-	1					1	No Flare		
12	0606	0608	0615	1-	1					1	0551 UT	C7.3	
12	1255	1305	1405	1-	1			1		1	No Flare		
14	1300	1320	1329	1-	1		1				1246 UT	C1.9	4708
15	0610	0617	0658	1-	1			1			0606 UT	C1.1	4708
15	2218	2221	2248	1-	1			1			2216 UT	C2.4	4709
16	0327	0335	0348	1-	1			1			0327 UT	C1.9	4709
16	0352	0355	0410	1-	1			1			0352 UT		4709
16	0527	0531	0611	1-	1			1			0526 UT	C2.2	4709

* No flare patrol

SIDs by NOAA/SESC REGION

DECEMBER 1985

[illegible]

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

65
Dec 85

DECEMBER 1985


Day	Observation			Decimetric Band			Metric Band			Decametric Band			Spectral Type
	Start (UT)	End (UT)	Sta	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	
01	0736	1002	WEIS										
	1112	1505	WEIS										
02	0737	1504	WEIS										
03	0740	1025	WEIS										
	1135	1504	WEIS										
04	0740	1009	WEIS										
	1015	1038	WEIS										
	1038	1123	WEIS										
	1220	1504	WEIS										
05	0741	1503	WEIS										
06	0744	1448	WEIS										
07	0744	0830	WEIS										
	0903	1503	WEIS										
08	0745	1241	WEIS										
	1247	1503	WEIS										
09	0748	1439	WEIS										
	1444	1503	WEIS										
10	0747	1502	WEIS										
11	0748	1459	WEIS										
12	0750	1309	WEIS										
	1325	1502	WEIS										
13	0750	1502	WEIS										
14			LEAR				0601.1	0654.1	1				CONT HARMONIC DCIM
	0751	1502	WEIS				1251.3	1257.9	2				
			WEIS				1252.7	1253.6	2				
15	0754	1003	WEIS										
	1007	1503	WEIS										
16			LEAR				0351.0	0351.3	1				III
	0753	1503	WEIS				1301.5	1301.6	2				IIIB
			WEIS				1414.4	1415.4	2				IIIGG
17	0753	1502	WEIS										
18	0756	0913	WEIS										
	0919	1504	WEIS										
19			LEAR				0000.0	0000.0	1				III
	0755	1504	WEIS										
			LEAR				2148.8	2151.1	1				III
			LEAR				2210.6	2213.0	1				III
20			LEAR				0130.8	0134.3	1				III
	0744	1503	WEIS										
21	0942	1505	WEIS										
22	0756	1505	WEIS										
23	0757	1505	WEIS										
24	0800	0832	WEIS										
	0845	1507	WEIS										
25	0757	1507	WEIS										
26	0757	1508	WEIS										
27	0801	1509	WEIS										
28	0758	1510	WEIS										
29	0758	0948	WEIS										
	1150	1510	WEIS										
30	0800	1511	WEIS										
31	0758	1512	WEIS										

The symbols used under the column heading SPECTRAL TYPE have the following definitions:

- | | |
|--|-------------------------------|
| B = Single burst | RU = Reverse slope burst |
| G = Small group (< 10) of bursts | DP = Drifting pairs |
| GG = Large group (> 10) of bursts | DC = Drifting Chains |
| C = Underlying continuum (particularly with Type I) | H = Herringbone |
| S = Storm in the sense of intermittent but apparently connected activity | W = Weak |
| N = Intermittent activity in this period | P = Pulsations |
| U = U-shaped burst of Type III | CONT = Continuum |
| | UNCLF = Unclassified activity |
| | DCIM = Fast drift |

Stations Reporting: LEAR = Learmonth WEIS = Weissenu

THULE NEUTRON MONITOR



COSMIC RAY INDICES
(Neutron Monitor)

67
Dec 85

DECEMBER 1985

Day	THULE Average (cts/h)/100	ALERT Average (cts/h)/100	DEEP RIVER Average (cts/h)/300	KIEL Average (cts/h)/100	CLIMAX Average (cts/h)/100	PRESTSTUHL Average (cts/h)/100	TOKYO Average (cts/h)/256	HUANCAYO Average (cts/h)/100
1	4457	7241	6897	6186.9		1200		
2	4464	7263	6967	6213.8		1213		
3	4467	7258	6961	6215.3		1226		
4	4468	7268	6957	6225.1		1234		
5	4470	7297	6956	6256.2		1240		
6	4485	7324	6986	6282.7		1248		
7	4488	7331	6975	6273.2		1245		
8	4494	7339	6975	6265.1		1244		
9	4506	7347	6993	6283.4		1247		
10	4486	7317	6954	6260.6		1239		
11	4476	7296	6904	6227.9		1229		
12	4485	7315	6956	6226.2		1224		
13	4448	7243	6907	6199.3		1219		
14	4446	7246	6932	6193.6		1222		
15	4452	7259	6941	6196.1		1220		
16	4465	7267	6951	6203.9		1215		
17	4466	7274	6951	6206.0		1221		
18	4426	7204	6901	6180.1		1212		
19	4399	7176	6854	6153.2		1194		
20	4410	7172	6866	6165.1		1196		
21	4431	7207	6905	6164.0		1180		
22	4449	7234	6920	6192.3		1186		
23	4454	7235	6924	6199.4		1201		
24	4454	7240	6917	6228.9		1209		
25	4467	7253	6953	6238.3		1209		
26	4468	7275	6973	6259.3		1211		
27	4474	7293	6967	6260.9		1209		
28	4438	7215	6917	6227.4		1201		
29	4452	7241	6932	6237.0		1193		
30	4417	7188	6902	6189.7		1178		
31	4437	7217	6895	6209.6		1179		
Mean	4458	7259	6935	6220.0		1214		

For less than 24-hour coverage, parentheses enclose the number of hours for which data are available.
For Climax and Huancayo, parentheses enclose the number of section hours whenever the sum of both sections falls below 40 hours.

GEOMAGNETIC ACTIVITY INDICES



December 1985

Day	Kp Three-Hourly Indices									Sum	Ap	Cp	Km Three-Hourly Indices								aa Provisional				
	1	2	3	4	5	6	7	8	1				2	3	4	5	6	7	8	Am	N	S	M		
1	2	3	2-	3	2+	2+	5-	4-	23-	15	0.9	2-	2	1+	3-	3-	2	4-	3	21	31	16	12	36	
2	4-	3+	4-	2	2+	2+	3+	2+	23	14	0.8	3-	2+	3-	1+	2+	2+	3	2+	20	32	16	24	25	
3	2	3-	2+	2-	2	3+	2	1+	17+	9	0.5	1+	2	2	1+	2	3-	2	1	14	15	13	15	13	
4	1+	3	2-	3-	2	3	4	3-	20+	12	0.7	1	2	2-	3-	2	3-	3+	2+	19	23	17	15	26	
5	3	2+	1+	2	2+	2	2	1+	16+	8	0.4	2+	1+	1	2+	2+	2	2-	1+	14	15	15	18	13	
6	Q10A	2+	2-	2+	2	2	1+	1+	1+	14+	7	0.3	2-	1+	2-	2-	2+	1+	1+	12	12	13	15	10 CC	
7	Q3	1	1	1+	2	1-	1+	2	1-	10	5	0.2	1+	1+	2	2	1	2-	2	1-	11	12	12	14	11 CC
8	Q1	1-	0	1-	1-	1-	1	1+	0+	5+	3	0.1	1-	0	1+	1	1+	1+	0+	6	5	8	7	7 CC	
9	Q5	2+	2-	0+	0+	1	1+	2+	2-	11	5	0.2	2	2-	0+	0+	1-	1+	2+	2	10	9	8	7	10 C
10		3-	3-	2+	4+	4+	3+	2+	3-	25-	17	0.9	2+	3-	3	4	4	3	2+	2+	32	29	28	30	28
11		4+	3-	2	1+	2-	2	2	3-	19-	11	0.6	3+	2	2	1+	2	2	2-	17	21	12	20	14	
12		2	2	1	0+	1-	2-	2+	3+	13+	7	0.4	1+	1+	0+	0+	1	2-	2+	12	16	9	7	19 K	
13	D4	4	4+	4-	5+	5	4-	2+	4	32+	30	1.3	3+	3+	3	5	5-	4-	3-	47	52	42	55	39	
14		3+	3-	2+	2	2	2+	2	4-	20+	11	0.7	3-	2+	2	1+	2	3-	2+	20	25	17	18	25	
15		4-	3-	2+	1	0+	1+	3-	3-	17-	10	0.5	3-	2-	2-	1	1-	1+	2+	14	19	15	14	20	
16	Q6	3-	1	2+	1-	1	1-	1+	2+	12	6	0.3	2+	1	2-	0	1+	1-	1	9	14	11	14	12 K	
17		4	2-	2-	1	2-	2-	1+	1	14	8	0.4	3+	2-	2-	1+	2-	2-	1+	13	17	12	17	12	
18		1-	1	3+	3	4	3	2-	2	19-	12	0.7	1-	1-	3+	3-	4	3	2+	23	23	25	20	29	
19	D2	3+	5-	6-	5	4+	5	5	4	37	41	1.5	3-	4-	5-	5	4	4+	4+	61	62	59	58	63	
20		4	3	3-	3	2+	1-	1-	1	17+	11	0.6	4-	3-	2+	3	2+	1	1-	18	15	17	25	7	
21	Q4	2-	2+	1+	2-	0+	0+	1	1	10-	5	0.2	1+	1+	1+	1+	0+	1-	1-	7	8	5	10	4 CC	
22	Q8	1	3-	2+	2-	2	1+	1	1-	13-	6	0.3	1+	2+	2	2-	2-	1+	1	11-	12	14	17	10 KC	
23	Q2	1-	0+	2-	1-	1-	1-	2-	2+	9-	4	0.2	1-	0+	2	1+	1	1-	2-	8	10	10	10	11 CK	
24		3+	2+	4	2	2-	1+	1+	0	16	10	0.5	3	2	3+	2	2-	1+	1+	16	14	19	23	10 K	
25	Q7K	1+	0	1-	1-	1	1+	1+	4-	10	6	0.3	1+	0+	1+	1+	1+	2-	1+	11	13	10	7	16 KK	
26		3+	3+	1	2-	2-	1-	1+	1-	14-	8	0.4	3-	3-	1	2-	2-	1	2-	12	15	11	17	9 K	
27		1+	2+	2	2	2	2-	4+	4-	19+	12	0.7	2-	2-	2	2	2	2-	4	21	21	21	17	26	
28	D3	4+	5+	5	4+	4+	5+	4+	3-	35	35	1.4	4-	5+	4	4	4	4-	2+	49	62	39	48	54	
29	Q9A	2+	3	2-	1+	1	1-	1	2	13	7	0.3	2-	2+	1+	1+	1	1-	1+	10	9	9	11	7 C	
30	D1	5	6-	6	4	4	5+	4	4+	38+	46	1.5	5-	4+	5-	4-	4-	5-	3+	60	71	46	59	59	
31	D5	4-	3	4-	3+	4	4+	4	3	23	22	1.1	3-	2+	3	3-	4	4-	3+	32	48	30	27	52	
Mean										13	0.61									20.3	23.7	18.7		21.4	

Day	Kn Three-Hourly Indices								An	Ks Three-Hourly Indices								As	S _a	Prov			
	1	2	3	4	5	6	7	8		1	2	3	4	5	6	7	8			R ₁	R _a	R _s	IMF
1	1+	2+	2-	3	3	2	4	3	25	2-	1+	1+	2+	2	2	3+	3	18	67.8	0	0	11	A -
2	3+	3-	3	2-	3-	2+	3+	2	24	2	2-	3-	1+	2	2-	3-	2+	16	68.4	16	0	12	A -
3	1+	2	2+	2-	2+	3	2-	1	16	1+	2-	2	1+	1	2	2	1+	12	68.5	19	0	12	A -
4	1	2+	2-	3-	2	3	4-	2+	20	1	2-	2	3-	2	2+	3	2	17	68.5	0	0	12	A -
5	3-	2-	1+	2+	3-	2+	2+	1	16	2	1+	1	2	2	2-	1	2-	12	69.7	18	13	13	A -
6	2-	1+	2	2	3-	1+	2-	2-	13	2-	1	2-	2-	2-	1	1+	2-	11	71.1	26	11	15	A -
7	1	1+	2	2	1	2-	2+	1-	11	1+	2-	2	2+	1-	1+	2-	0+	10	71.9	15	8	16	T -
8	1-	0	1	0+	1	2-	1+	1-	6	1-	0	1+	1+	1	1+	1+	0+	6	73.0	12	8	17	T -
9	2-	2-	0+	0	1	1+	2+	1+	9	2+	2	0+	1+	0+	1	2+	2+	11	75.2	16	10	19	T -
10	2	2+	3-	4	4+	3	2	2+	30	2+	3	3+	4	4	3	3-	3-	34	75.6	14	11	20	T -
11	3+	2+	2-	1+	2+	2+	2-	2+	18	4-	2-	2+	1+	2-	2-	1+	2-	16	76.6	18	12	21	T -
12	1+	2-	1-	1-	1	2	2	3	12	1	1-	0	0+	1	1+	2+	4-	12	77.3	18	14	21	T -
13	3+	3+	3	5+	5	4-	3-	4-	52	3+	3+	3-	5-	4+	4-	3-	4-	43	75.6	17	11	20	TA -
14	3	2	2	2-	2	3-	2	3+	20	3	2	2	1+	2	2+	2+	4-	20	76.4	30	22	21	T -
15	3	2	2	1	1-	2-	2+	3-	15	3-	1+	2-	1-	1-	1+	2+	3-	13	80.2	47	44	25	AT -
16	2	1-	2-	0+	1+	1	1+	2	9	2+	1+	1+	0	1+	1-	1-	2-	9	83.7	66	42	28	A -
17	3+	2-	2	1+	2-	2-	1+	1	14	3+	2	2-	2-	1+	2-	1+	1-	14	80.2	63	38	25	AT -
18	0+	1-	3+	3-	4	3	2	2	23	1-	0+	4-	3-	4-	3	2+	2-	23	78.4	48	29	23	A -
19	3-	4-	5-	5	4+	5-	5-	3+	61	3-	4-	5-	5	4	4	4+	4+	60	77.5	40	14	22	A -
20	4-	3-	3-	3	2+	1	1	0+	19	3+	3-	2+	3-	2	1-	0+	0+	17	75.4*	24	11	19	T -
21	1	2-	1+	2-	0+	1-	1	1	7	1+	1+	1+	1+	0	1-	0+	1+	7	75.1	16	15	19	AT -
22	1+	2	2-	1+	2-	1+	1+	1	10	1+	2+	2+	2-	2	1+	1	1+	13	73.5	11	0	17	T -
23	0+	0	2-	1	1-	1	2	2	8	1-	1-	3-	1+	1+	0+	1	1+	9	71.2	0	0	15	T -
24	3	2	3+	2	2-	1+	1+	0+	16	3	2	3	2	2	1	1+	1-	16	69.9	0	0	13	T -
25	1	0+	1	1+	1+	2-	2-	3	11	1+	0+	1+	1+	1+	1+	1+	3-	11	67.3	0	0	11	A -
26	3	2+	1	2-	2-	1	2-	1-	13	3-	3-	1	2-	2-	1-	1+	1+	13	66.3	0	0	10	T -
27	1+	2-	2-	2+	2+	2-	4-	3	20	2	2	2	2	1+	1+	4	3+	21	66.2	0	0	9	A -
28	4-	5-	5-	4	4	4+	4	2	56	3+	4+	3	4-	4-	4-	3+	2+	41	66.2	0	0	9	A -
29	1+	2+	2-	1+	1	1	1	2	11	2-	2	1	1+	1-	1-	2-	2	10	66.0	0	0	9	-
30	5-	4+	5	4-	4	5	3+	4-	67	4+	4+	4+	4-	3	4+	3+	4	54	66.3	0	0	10	-
31	3+	3-	3	3	4+	4	4	2+	40	2+	2	3-	2+	4-	3+	3-	3-	25	66.6	0	0	10	-
Mean									21.7									19.2	72.4	17.2	10.1	16.2	

DAILY AVERAGE INDICES Ap

Day	1985 Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	33	15	16	23	10	18	14	18	6	3	15	15
2	17	11	22	16	38	6	3	11	4	5	32	14
3	13	8	14	20	6	4	6	6	4	11	28	9
4	7	3	10	17	10	5	33	6	2	12	16	12
5	6	21	42	7	7	5	16	4	3	66	10	8
6	5	46	24	5	10	25	21	3	9	41	13	7
7	5	20	22	7	8	30	19	4	9	27	7	5
8	19	24	27	15	8	16	16	6	10	16	6	3
9	46	19	4	38	8	22	8	5	12	6	14	5
10	29	24	10	11	4	30	8	7	12	6	19	17
11	20	13	6	11	5	11	10	5	9	16	10	11
12	19	11	7	5	12	10	48	27	5	12	4	7
13	14	11	4	6	11	4	20	41	5	20	24	30
14	9	16	7	10	8	4	16	11	29	8	17	11
15	9	9	14	4	15	5	7	12	18	18	16	10
16	8	7	11	8	11	3	5	9	33	17	10	6
17	9	12	8	5	8	7	20	9	13	15	14	8
18	6	4	11	4	9	4	13	12	5	22	15	12
19	7	7	9	21	9	3	8	12	35	14	14	41
20	6	10	5	53	5	13	8	12	29	6	3	11
21	12	8	5	103	8	7	5	10	23	16	5	5
22	11	7	4	11	5	6	4	28	13	17	8	6
23	36	7	5	12	4	7	13	17	9	13	4	4
24	7	18	6	17	5	5	12	7	17	8	4	10
25	9	12	5	21	8	12	12	18	18	9	6	6
26	6	5	8	30	9	21	16	14	19	4	6	8
27	11	19	10	33	5	13	15	15	17	4	20	12
28	58	60	14	61	5	18	13	13	6	4	8	35
29	24		6	17	4	13	5	17	4	11	37	7
30	17		7	42	3	10	11	10	5	3	52	46
31	15		10		7		36	32		6		22
Mean	16	15	11	21	9	11	14	13	13	14	15	13



▲ = sudden commencement

PLANETARY MAGNETIC
THREE - HOUR - RANGE INDICES
Kp 1985

(preliminary indices to 1986 January 21)

R9	Rot- No.	1st day	C9
645 876 888	19	J 8	2, 34 34, 146 55, 234 366 776 766 654
888 877 788	82	F 4	766 654 677 775 66 665 766 773 78 434 . . .
887 888 888		M 3	434 . . . 543 333 14 533 56, 353 333 455 775
887 887 668	2082	M 30	455 775 55, 337 743 223 533 565 347 65 665
754 555 467	39	A 26	65 665 675 4, . . . 2, . . . 52 353 22, . . . 677
776 677 888	34	M 13	677 666 55, 14 424 767 766 3, . . . 652 555
875 333 488	35	J 19	65, 555 446 656 53, . . . 4 543 67 86 765 663
885 225 688	36	J 16	765 663 437 566 555 637 645 68, 566 53, 14
766 567 788	37	A 12	53, 14 423 464 555 336 642 356 80 373 444
667 777 888	38	S 8	373 444 433 666 78 653 774 336 63 356 5, 14
556 546 876	39	O 5	556 5, 14 446 624 554 433 14 643 666 665 223
666 777 775	2040	N 1	665 223 33 354 533 2, 33 666 764 663 . . .
578 888 756	41	N 28	663 . . . 33, 665 754 23 477 676 765 425 554
765 576 666	19	O 25	425 554 233 32, . . . 573 523 566 644 322 543
556 765 322		J 21	322 543 324 533 2, 7 877 555 566 666 443 765
334 666 544	83	F 17	443 765 44, 122 576 663 212 67 664 335 663
565 544 445	2045	M 16	335 663 223 73, 666 654 444 666 55, 367 765
546 678 766	46	A 12	367 765 323 344 766 436 654 366 423 377 765
777 677 655	47	M 9	377 655 523 3, 33 676 723 311 333 21, 13, 356
665 667 765	48	J 5	33, 356 347 342 465 455 4, 11 323 31, 222 144
555 566 764	49	J 2	222 444 331 45, 15 65, 222 563 223 452 164
675 566 544	2050	J 29	452 164 1, 1 573 16 623 1, 236 465 66, 245
444 555 333	51	A 25	66, 245 64, . . . 54 433 32, 566 375 33, 366
344 356 775	52	S 21	33, 366 432 35 573 534 22, 65 537 72, 455
322 223 553	53	O 18	72, 455 5, 11 26 525 65, . . . 676 675 656 665
331 122 233	54	N 14	656 665 62, 34 524 554 2, 1 466 3, 5 655 64, 1
543 221 122	2055	O 11	655 64, 112 1, 33 343 443 26 655 664 1, 1 43, 1
344 455 776	19	J 7	1, 1 43, 211 12, 523 3, 1 242 556 545 574 222
567 654 676	84	F 3	574 222 255 367 5, 124 14 424 224 633 666 2, 6
544 567 666		M 1	666 2, 6 663 423 5, 12 455 3, 2 553 645 776 667
675 422 455	2059	M 28	776 667 777 367 624 445 212 235 31, 168 645
777 436 765	2080	A 24	63 645 254 336 3, 1 56, 323 2, 6 356 766 644
565 532 235	61	M 21	766 644 222 42, 366 533 354 3, 1 57 366 4, 1
544 334 554	62	J 17	366 4, 1 353 235 334 333 332 324 337 666 754
222 311 223	63	J 14	666 754 322 232 145 324 764 42, 1 44 234 255
322 223 234	64	A 10	224 255 43, 1 2, 25 526 654 333 377 313 364
211 111 111	65	S 6	313 364 434 22, 65 358 777 643 313 5, 2 575
112 122 111	66	O 3	5, 12 575 566 644 45, 777 776 654 222 116 355
111 221 134	67	O 30	116 355 345 535 522 478 655 554 223 211 364
322 222 221	68	N 26	211 364 656 555 212 546 666 642 142 4, 1 646
221 111 122	2089	O 23	4, 11 646 656 644 211 57 655 422 221 113 361
431 122 121	19	J 19	113 361 213 764 443 2, 5 756 564 334 213 223
122 111 112	85	F 15	213 223 222 531 574 542 765 6, 2 12, 143 232
121 232 221		M 14	143 232 111 111 224 122 545 4, 11 246 331 121
111 123 222	2073	A 10	331 121 21, 578 334 566 747 16, 223 222 113
333 333 111	74	M 7	222 113 324 322 212 111 221 1, 1 15, 11 664
234 321 111	75	J 3	111 664 563 211 1, 2 4 111 35 354 24, 164
335 521 111	76	J 30	24, 164 554 223 754 2, 5 322 113 334 43, 365
332 211 111	77	J 27	43, 365 311 1, 1 12 167 332 233 336 425 444
111 111 111	78	A 23	425 444 436 1, 1 223 32, 65 63, 665 324
111 111 111	79	S 19	665 324 554 111 113 377 64, 143 525 445 4, 14
235 3, 1 122	2080	O 16	445 4, 14 332 2, 3, 146 643 4, 11 452 64 434
333 2, 1 112	81	N 12	64 434 44, 12, 111 526 744 232 11, 143 263
224 3, 1, .	82	O 9	143 263 212 373 111 212 36, 75 663, pre-
	19	J 5	56 353 2, . . . 221 4
	86	F 1	liminary
		F 28	

Symbol	.	.	.	3	4	5	6	7	8	■
R =	0	1-15	16-30	31-45	46-60	61-80	81-100	101-130	131-170	171...
R9, C9 =	0	1	2	3	4	5	6	7	8	9
Cp =	0.0-0.1	0.2-0.3	0.4-0.5	0.6-0.7	0.8-0.9	1.0-1.1	1.2-1.4	1.5-18	1.9	20-25

DAILY GEOMAGNETIC
CHARACTER FIGURES C9 AND
3-DAY MEAN SUNSPOT NUMBERS R9
(after Bartels)

PRINCIPAL MAGNETIC STORMS

DECEMBER 1985

Sta	Geomag Lat	Commencement		Type	SC Amplitudes			Maximum 3-Hour K Index Day(3-Hour Periods)	Ranges			End Hour Day (UT)
		Day	Time (UT)		D (Min)	H (Gamma)	Z (Gamma)		D (Min)	H (Gamma)	Z (Gamma)	
HON	21.1N	09	2030	SC	--	11	4	10(1,3,4,5)	3	3	49	11 02
HYB	07.6N	09	1700	10(5)	6	3	159	11 03
GUA	04.0N	09	2029	10(5)	5	--	120	10 18
BJI	28.5N	10	02--	10(5)	5	4	121	10 22
JAI	17.3N	10	0300			4	137	11 02
UJJ	13.5N	10	0300			4	146	11 02
ABG	09.5N	10	0300	10(5)	5	4	142	11 02
ANN	01.5N	10	0300			5	198	11 02
TRV	01.1S	10	0300			2	163	11 02
KGL	56.5S	10	0336	SC	3	- 24	- 12	10(5)	5	31	128	11 04
WIT	54.2N	12	2118	SC	- 1	26	..	13(1,4,5,6)	5	21	143	13 24
FRD	49.6N	12	2119	SC	1	20	- 3	13(4,5)	5	18	85	14 --
IRK	41.0N	12	2100	13(4)	6	14	137	14 06
BJI	28.5N	12	2119	SC	0.2	16	1	13(4)	7	6	157	14 02
HON	21.1N	12	2118	SC	--	19	4	12(4,5,6)	4	6	86	13 22
JAI	17.3N	12	2100			5	150	13 24
UJJ	13.5N	12	2100			4	100	13 24
ABG	09.5N	12	2100	13(4)	6	5	162	13 24
HYB	07.6N	12	2119	SC	- 0.2	18	- 1	13(4,5)	6	4	175	14 01
GUA	04.0N	12	2117	SC	..	5	- 1	13(4)	6	--	180	14 00
ANN	01.5N	12	2100			3	160	13 24
TRV	01.1S	12	2100			4	202	13 24
PMG	18.6S	12	2117	SC*	- 1.4	19	16	13(4)	6	6	150	14 00
GNA	43.2S	12	21--	13(4,5,6)	6	18	140	14 03
CNB	43.9S	12	21--	13(4)	5	18	107	13 24
KGL	56.5S	12	2114	SC	6	28	- 4	13(5)	6	43	300	14 05
WIT	54.2N	18	0647	SC	1	20	..	19(6)	6	33	137	20 04
FRD	49.6N	18	0647	SC	- 2	15	- 1	19(4,6,7) 20(1)	5	18	105	20 --
IRK	41.0N	18	0645	SC	2.5	27	3	19(4)	6	23	145	20 15
BJI	28.5N	18	0646	SC	1.6	29	2	19(4)	6	10	160	20 15
HON	21.1N	18	0648	SC	--	16	5	18(3,5) 19(4)	4	5	107	20 03
UJJ	13.5N	18	0645	SC	- 0.3	34	- 7			3	132	20 05
ABG	09.5N	18	0645	SC	- 0.6	28	- 5	18(5) 19(3,5,6)	5	5	162	20 05
HYB	07.6N	18	0648	SC	- 0.3	32	- 2	18(3,5)	5	3	92	18 21
GUA	04.0N	18	0647	18(3)	5	--	60	18 21
TRV	01.1S	18	0645	SC	0.1	46	46			4	225	20 05
PMG	18.6S	18	0645	SC	0.9	31	31	19(4)	6	8	150	20 13
GNA	43.2S	18	0647	SC	4.0	33	25	19(4)	6	19	120	20 05
CNB	43.9S	18	0646	SC	1.0	51	7	19(3,4)	5	16	139	20 12
HYB	07.6N	19	0000	19(4)	6	4	137	20 13
GUA	04.0N	19	0554	19(5)	6	--	150	20 06
KGL	56.5S	19	0045	SC	4	12	- 5	19(4)	7	37	400	20 14
WIT	54.2N	27	1900	27(7) 28(2,6,7)	5	24	156	28 22
IRK	41.0N	27	1900	28(6)	6	16	101	28 22
BJI	28.5N	27	18--	28(3)	6	7	97	28 23
HYB	07.6N	27	0600	28(3)	5	5	100	28 22
HER	33.7S	27	18--	28(2)	5	20	88	29 22
KGL	56.5S	27	1834	SC	- 2	4	- 4	28(5)	5	23	190	28 23
FRD	49.6N	28	19--	28(1,2,3,4) 30(1,2,3)	5	32	170	01 --
WIT	54.2N	29	2300	30(6)	6	30	156	31 20
BJI	28.5N	29	22--	30(1)	6	12	90	31 20
HYB	07.6N	29	1900	30(1,3,6) 31(6)	5	4	101	31 19
GUA	04.0N	29	2316	30(1)	5	--	120	30 20
HER	33.7S	29	23--	30(6)	5	27	120	31 03
KGL	56.5S	29	2248	SC	1	- 4	0	30(6)	6	23	260	31 20
COL	64.6N	30	02--	30(3,6) 02(5)	7	215	1580	02 21
IRK	41.0N	30	0100	30(6)	6	24	113	31 23
GNA	43.2S	30	00--		5	20	100	30 23

RADIO PROPAGATION QUALITY INDICES

73
Dec 85

DECEMBER 1985

Day	Bracknell	Teheran	New York	Tokyo	Johannesburg	Canberra
1	4.3	0.1	1.8	0.7	2.5	2.7
2	3.6	0.1	1.8	1.9	5.1	3.4
3	4.3	0.1	3.2	2.3	5.5	3.8
4	4.3	0.1	4.0	2.3	6.5	1.9
5	4.3	2.4	3.5	2.4	7.1	4.9
6	4.7	3.3	3.2	1.9	7.2	5.0
7	4.4	0.1	4.1	3.7	6.2	5.8
8	4.5	2.8	4.4	5.2	6.0	5.6
9	5.5	2.2	5.5	4.0	4.4	5.8
10	5.9	3.0	6.0	3.7	6.5	5.8
11	5.9	1.8	4.9	5.4	6.7	6.2
12	5.0	0.1	5.7	4.5	4.6	5.7
13	7.0	0.1	4.7	7.4	6.2	6.5
14	6.6	0.1	4.4	8.4	6.0	5.8
15	5.2	1.9	3.5	7.1	5.0	6.2
16	5.0	0.7	3.6	7.0	2.7	5.4
17	6.0	4.0	4.0	6.6	5.7	6.7
18	7.3	2.8	5.4	6.9	7.4	6.1
19	5.5	5.1	3.4	5.7	5.1	5.4
20	4.9	5.0	3.3	4.8	3.7	6.5
21	7.0	3.7	6.1	6.2	4.4	5.2
22	5.0	6.8	5.5	4.6	5.2	3.1
23	5.0	4.9	4.7	3.8	5.9	4.9
24	5.0	6.8	4.1	6.7	5.7	4.7
25	4.9	9.5	5.4	5.6	5.5	4.7
26	5.1	7.1	5.8	5.6	6.8	6.3
27	5.4	4.2	5.9	5.6	4.5	5.7
28	5.1	4.0	4.8	5.8	4.7	5.4
29	5.0	5.2	5.1	5.8	5.8	4.9
30	5.0	4.2	4.6	4.5	5.5	4.7
31	4.3	4.2	4.3	4.7	4.3	2.7
Mean	5.2	3.1	4.4	4.9	5.4	5.1

CALCULATION OF QUALITY INDICES (Q)

From all 24 hourly field strength values and from all frequencies of the same circuit a median field strength value is calculated (FD). This daily value is compared with the average value (FA) of the preceeding 27 days (1 sun rotation).

$$Q = 6.0 + 20 \log(FD/FA)/3.0$$



The quality indices vary from 0.0 to 9.9 where 6.0 is normal. Conditions are "normal" (index = 6.0), if they correspond to the average of the preceeding 27 days.

SCALE FOR QUALITY INDICES

- 0.0 - 1.0 = very poor
- 1.1 - 3.0 = poor
- 3.1 - 5.0 = fair
- 5.1 - 7.0 = normal
- 7.1 - 9.0 = good
- 9.1 - 9.9 = very good

TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH



DECEMBER 1985



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

DECEMBER 1985

75
Dec 85



Field strengths from five frequencies, 6.4, 8.6, 13.0, 17.0 and 22.5 MHz, observed on a Lüchow New York circuit are represented above. Heavy solid lines represent field strengths ≥ -12 dB above $1\mu\text{v/m}$ (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above $1\mu\text{v/m}$ and -40 dB above $1\mu\text{v/m}$ are represented by the fine line.

C O N T E N T S

Prompt Reports

LATE DATA

Number 498 Part I

SOLAR RADIO EMISSION Nancay Interferometric Chart December 1985	Page 78
SOLAR RADIO SPECTRAL OBSERVATIONS Culgoora May 1985	79-82
GEOMAGNETIC INDICES Sudden Commencements November 1985.	83
CALCIUM PLAGE DATA	
Calcium Plage Regions August 1983.	84-90
Daily Plage Summaries August 1983.	90
Active Region Summary August 1983.	91

78
Late
Dec 85

SOLAR INTERFEROMETRIC OBSERVATIONS

Nancay

DECEMBER 1985

169 MHz

Day

5

10

15

20

25

30

NO DATA


x

x

E

C

W



SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

79
May 85

MAY 1985

Day	Observation		Sta	Decimetric Band			Metric Band			Dekametric Band			Spectral Type
	Start (UT)	End (UT)		Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	
01	0000	0717	CULG										
	2030	2400	CULG										
02	0000	0729	CULG										
	2029	2400	CULG										
03	0000	0928	CULG										
	2029	2400	CULG										
04	0000	0728	CULG										
	2028	2400	CULG				2213.0		1				111B
			CULG				2324.5		1				111B
05	0000	0228	CULG				0120.0		2				111G
	2029	2400	CULG				2311.5		1				111B,U
06	0000	0650	CULG										
	2030	2400	CULG										
07	0000	0728	CULG				0003.0		1				111B
			CULG				0424.0	0425.0	2				111G,V
			CULG	0559.0	0559.5	1	0559.0	0601.0	3	0559.0	0600.0	1	111G,V
	2028	2400	CULG				2112.0	2113.0	2				111G
			CULG				2138.0	2354.5	1				111N
			CULG				2138.5	2139.5	3	2138.5	2139.5	1	111G
			CULG				2326.0		2				111G
08	0000	0728	CULG				0139.0	0453.0	1				111N
			CULG				0240.0	0451.5	1				111N
			CULG	0245.5		1							111G
			CULG				0432.5		2				111B
			CULG				0433.5	0434.0	2				111G,V
	2028	2400	CULG				0707.0	0707.5	2				111G
			CULG				2216.0	2216.5	1				111G
			CULG				2217.5		1				111B
			CULG				2356.5	2357.5	1				111G
09	0000	0728	CULG				0437.5		1				111B
			CULG				0534.5	0535.0	1				UNCLF
			CULG				0545.5		1				UNCLF
			CULG				0620.5		1				111B
			CULG				0634.0	0712.0	1				111N
	2028	2400	CULG				2045.0	2400.0	1				IS
			CULG				2125.5	2237.0	1				111N
			CULG				2148.0	2148.5	2				111B
			CULG				2239.0	2239.5	2				111B,V
			CULG				2259.0	2300.0	2				111G,V
10	0000	0738	CULG				0000.0	0022.0	1				IS
			CULG				0119.5	0229.5	1				111N
			CULG				0231.0	0231.5	2	0231.0	0231.5	1	111G
			CULG				0234.0	0234.5	2				111G
			CULG				0422.5	0448.0	2				111N
			CULG				0439.0	0450.5	1				111N
			CULG	0446.5	0447.0	1	0446.5	0448.0	2				111G,V
			CULG				0501.5	0709.0	1				IS,C
	2028	2400	CULG				2048.5	2304.0	1				IS,C
			CULG	2110.0	2359.0	1							111N
			CULG				2120.5	2121.5	1				111N
			CULG				2155.0	2200.0	1				111S
			CULG				2159.0	2159.5	2				111G
			CULG				2204.0	2210.5	1				111N
			CULG				2303.5	2304.0	2				111G
			CULG				2304.0	2400.0	1				IS
			CULG				2309.5	2310.5	1				111G
			CULG				2318.5		1				111B
11	0000	0523	CULG				0000.0	0523.0	1				IS
			CULG	0006.0	0306.5								IS,W
			CULG				0044.0	0446.0	1				111N
			CULG				0120.0	0120.5	1				111B,V

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

MAY 1985

Observation			Decimetric Band			Metric Band			Decametric Band			Spectral Type	
Day	Start (UT)	End (UT)	Sta	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)		Int (1-3)
11			CULG				0319.5	0320.0	2				IIIG,V
			CULG				0456.0	0458.0	3	0456.5	0457.0	1	IIICG,V
			CULG				0458.5	0500.0	3	0500.0		1	IIIG
	2203	2400	CULG				2203.0	2400.0	1				IIIS
			CULG				2203.0	2400.0	1				IS
			CULG				2228.5	2400.0	1				IIIN
12			CULG				0000.0	0628.5	2	0052.5	0138.0	1	IIIN
	0000	0728	CULG				0000.0	0700.0	1				IIIS
			CULG				0035.0	0404.5	1				IN
			CULG				0414.0	0415.0	3				IIIG,V
	2027	2400	CULG				0607.0	0607.0	3	0607.0	0607.5	1	IIIG
			CULG				2052.5	2400.0	1				IIIS
			CULG				2106.5	2316.5	2				IIIN
			CULG				2136.5	2139.0	3	2137.5	2139.0	1	IIIG
13			CULG				0000.0	0622.0	2	0045.5	0219.0	1	IIIN
	0000	0728	CULG				0000.0	0712.0	1				IIIS
			CULG	0001.0	0646.0	1							IN
			CULG	0441.0	0444.0	1	0437.0	0445.5	2	0441.0	0444.5	1	IIIS
			CULG				0454.0	0625.0	1				IS,C
			CULG				0458.5	0501.0	2				IIIS
			CULG				0625.0	0712.0	2				IS,C
	2028	2400	CULG	0639.0	0639.5	1							DCIM
			CULG				2044.0	2247.0	1				IS,C,DC
			CULG				2052.5	2247.0	1				IIIS
			CULG				2101.0	2348.0	2	2210.5	2348.0	1	IIIN
			CULG	2101.0	2337.0	1							IN
			CULG	2206.0	2206.5	1	2151.5	2336.0	3	2151.5	2336.0	2	IIIG,N
			CULG				2247.0	2400.0	2				IIIS
			CULG				2247.0	2400.0	2				IS
14			CULG				0000.0	0300.0	1				IS,C,DC
	0000	0728	CULG				0000.0	0300.0	2				IIIS
			CULG				0000.0	0300.0	3				IIIN
			CULG				0006.0	0709.5	1	0021.5	0246.5	1	IIIN
			CULG				0007.0	0625.5	2	0057.5	0427.0	2	IIIN
			CULG				0300.0	0720.0	1				IIIS
			CULG				0300.0	0720.0	1				IS
	2028	2400	CULG				2046.0	2400.0	1				IIIS
			CULG	2117.5	2400.0	1	2043.0	2130.0	1				IS
			CULG				2123.5	2238.5	2				IIIN
			CULG				2130.0	2400.0	2				IS
15			CULG	0000.0	0010.5	1	0000.0	0104.5	1				IS
	0000	0728	CULG				0000.0	0312.5	1				IIIS
			CULG				0312.5	0728.0					IIIS,W
			CULG				0312.5	0728.0	1				IIIN
			CULG				0543.0	0544.5	2				IIIG
	2028	2400	CULG				2045.0	2400.0	1				IS
			CULG				2048.5	2400.0	1				IIIS
			CULG				2055.0	2400.0	2				IIIN
			CULG				2126.0	2128.0	3	2126.0	2127.0	2	IIIGG
16	0000	0728	CULG				0000.0	0215.5	1				IS
			CULG				0008.0	0611.0	1				IIIN
			CULG				0340.0	0712.5	1				IS,DC
			CULG				0517.0		2				IIIB,V
			CULG				0606.5		2				IIIB
	2030	2400	CULG	2050.5	2227.0	1	2056.0	2349.5	1				IN
			CULG	2054.5	2055.0	1							IIIG
			CULG				2056.0	2349.5					IIIS,W
			CULG	2104.5	2105.0	1							IIIG
			CULG				2344.0	2344.5	1				IIIG
			CULG				2348.0		1				IIIB
17	0000	0728	CULG				0118.0	0657.0	1				IN
			CULG				0308.0		2				IIIG
			CULG				0309.0	0314.0	1				IIIS
			CULG	0501.5	0504.0	1							IN
			CULG				0512.5	0518.0	1				IIIN

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

81
May 85

MAY 1985

Observation				Decimetric Band			Metric Band			Dekametric Band			Spectral Type
Day	Start (UT)	End (UT)	Sta	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	
17			CULG				0627.5		1				IIIB
	2028	2400	CULG				2036.5	2303.0	1				IN
			CULG				2117.5		2				IIIG
			CULG				2126.5		1				IIIB
			CULG				2134.5		1				IIIB,U
			CULG				2212.5	2309.0					IIIS,W
			CULG				2214.5	2352.0	1				IIIS
			CULG				2242.0	2308.5	2				IIIN
18	0000	0738	CULG				0006.0	0037.0					IIIS,W
			CULG				0009.0	0052.0	1				IIIN
			CULG				0350.5	0351.0	1				IIIG
			CULG				0426.5		2				IIIB
			CULG				0428.0	0432.5	1				IIIS
			CULG				0511.0	0512.0	2				IIIG
			CULG				0531.5	0637.5	1				IIIN
			CULG				0622.0	0622.5	2				IIIG
			CULG				0634.0	0634.5	2				IIIG
	2028	2400	CULG				2110.5		1				IIIB
			CULG				2134.5	2135.0	1				IIIB
19	0000	0728	CULG				0025.0	0025.5	2				IIIG
			CULG				0042.5	0043.0	2				IIIG
			CULG				0115.5	0116.0	1				IIIG
			CULG				0502.5	0654.0	1				IIIN
			CULG				0535.0	0535.5	2				IIIB
	2028	2400	CULG	2052.0	2053.0	3							IIIGG
			CULG	2054.5	2055.0	1							IIIG
			CULG				2220.0	2222.0	1				IIIG
20	0000	0728	CULG				0535.5		1				IIIB
	2028	2400	CULG				2134.5		1				IIIB
			CULG				2203.5		1				IIIB
			CULG				2328.0		1				IIIB
21	0000	0712	CULG	0013.0		1	0012.0	0013.0	2				IIIG
			CULG				0135.5		1				IIIB
			CULG	0412.5		2	0411.5	0412.5	3				IIIG
			CULG	0413.0	0428.0	1	0412.5	0425.0	1				IIIS
			CULG				0525.5		1				UNCLF
			CULG				0654.5	0655.0	2				IIIG
	2030	2400	CULG				2052.5	2347.0	1				IIIG,N
			CULG				2209.5	2210.5	3				IIIG
			CULG				2219.5	2221.5	3				IIIG
			CULG				2314.5		2				IIIB
			CULG				2326.5	2327.0	2				IIIG,U
22	0000	0728	CULG				0029.5	0030.0	1				IIIG
			CULG				0118.0	0121.5	2				IIIGG,V
			CULG				0126.0		2				IIIG
			CULG				0404.5		1				IIIB
			CULG				0548.0		2				IIIB
			CULG				0548.5	0551.0	2				IIIGG,V
			CULG				0551.5	0552.0	1				IIIG
			CULG	0609.0		2	0609.0	0609.5	2				IIIG
	2028	2400	CULG	2237.5	2238.0	1	2237.5	2238.5	2				IIIG
			CULG	2242.0	2243.0	1	2242.0	2243.0	1				IIIG
			CULG	2320.0		1	2320.0		1				IIIB
			CULG				2323.0		1				IIIB
			CULG	2331.0	2331.5	1							I
			CULG	2335.0	2335.5	2	2335.0		2				IIIB
23	0000	0728	CULG				0042.0	0042.5	1				IIIB
			CULG				0046.0		1				IIIB
			CULG				0137.0	0138.0	1				IIIG
			CULG				0203.0	0204.0	2				IIIG,V
			CULG				0204.5	0220.5	1				IN
			CULG				0257.5	0258.0	1				IIIB,U
			CULG				0333.0		1				IIIB
			CULG				0336.0	0344.0	2				IIIS
			CULG				0518.5	0519.0	2				IIIB,U

82
May 85

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

MAY 1985

Day	Observation		Sta	Decimetric Band			Metric Band			Dekametric Band			Spectral Type
	Start (UT)	End (UT)		Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	Start (UT)	End (UT)	Int (1-3)	
23			CULG				0548.0		1				111B
			CULG				0550.0		1				111B
	2028	2400	CULG										
24	0000	0729	CULG	0012.5	0013.0	1	0012.5	0013.0	1				111B
	2029	2400	CULG										
25	0000	0729	CULG										
	2029	2400	CULG										
26	0000	0613	CULG										
	2129	2300	CULG										
27	2130	2300	CULG										
28	2125	2400	CULG										
29	0000	0725	CULG										
	2145	2300	CULG										
30	2248	2400	CULG										
31	0000	0735	CULG										

The symbols used under the column heading SPECTRAL TYPE have the following definitions:

- | | |
|--|-------------------------------|
| B = Single burst | RS = Reverse slope burst |
| G = Small group (< 10) of bursts | DP = Drifting pairs |
| GG = Large group (> 10) of burst | DC = Drifting Chains |
| C = Underlying continuum (particularly with Type I) | H = Herringbone |
| S = Storm in the sense of intermittent but apparently connected activity | W = Weak |
| N = Intermittent activity in this period | P = Pulsations |
| U = U-shaped burst of Type III | CONT = Continuum |
| | UNCLF = Unclassified activity |
| | DCIM = Fast drift |

Stations Reporting:

CULG = Culgoora

MAGNETIC STORM SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS
(PRELIMINARY REPORT ON RAPID MAGNETIC VARIATIONS)

83
Late
Nov 85

NOVEMBER 1985

Storm Sudden Commencements (ssc)			Solar Flare Effects (sfe)		
Day	Time	Quality: Station Group*	Day	Begin-End	Station(s)
29	0806	A: COI MPO	04	1036-1046	MPO
		B: DOB WNG MMB FRD	06	1202-1209	CLF (ssc: B: DOU)
		C: NGK HAD BDV CLF GCK EBR SPT KAK KNY AMS CZT DUM	21	1209-1218	MPO

Reporting Observatories:

SOD DOB NUR WNG WIT NGK HAD DOU BDV CLF GCK MMB AQU
EBR COI SPT FRD KAK KNY QUE MPO GNA CAO AMS CZT KGL DUM

*Three-letter codes identify each observatory.

8A
Late
Aug 83

CALCIUM PLAGE REGIONS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

AUGUST 1983

Calcium Plage Region	Sta	Mo	Day	Observation Time (UT)	Lat	CMD	CMP Mo	Day	Intensity	Corrected Area (10 ⁶ Hemi)	NOAA/USAF #1	Sunspot #2	Groups #3
19006	BIGB	08	01	2359	N12	W06	08	1.5	1.0	0200			
19000	BIGB	07	27	2350	S05	E78	08	2.8	2.5	0700	4263		
19000	BIGB	07	28	1500	S09	E70	08	2.9	3.5	4500	4263		
19000	BIGB	07	30	0002	S08	E55	08	3.1	3.5	4500	4263		
19000	BIGB	07	31	1737	S06	E30	08	3.0	3.5	3850	4263		
19000	BIGB	08	01	2359	S07	E11	08	2.8	3.5	5500	4263		
19000	BIGB	08	02	1435	S07	E02	08	2.7	4.0	6000	4263		
19000	BIGB	08	03	1737	S06	W12	08	2.8	3.5	5800	4263		
19000	BIGB	08	04	1814	S06	W26	08	2.8	3.5	6000	4263		
19000	BIGB	08	05	1909	S06	W42	08	2.6	3.5	6000	4263		
19000	BIGB	08	08	1420	S05	W73	08	3.1	2.5	3100	4263		
19003	BIGB	07	30	0002	S04	E70	08	4.2	2.5	1000	4268		
19003	BIGB	07	31	1737	S02	E46	08	4.2	3.0	0800	4268		
19003	BIGB	08	01	2359	S03	E27	08	4.0	3.0	1000	4268		
19003	BIGB	08	02	1435	S04	E18	08	3.9	3.0	1100	4268		
19003	BIGB	08	03	1737	S03	E06	08	4.2	3.0	1000	4268		
19003	BIGB	08	04	1814	S04	W08	08	4.2	3.0	0700	4268		
19003	BIGB	08	05	1909	S03	W25	08	3.9	3.0	0800	4268		
19003	BIGB	08	08	1420	S02	W62	08	4.0	2.0	0300	4268		
19001	BIGB	07	28	1500	S23	E80	08	3.8	1.0	0500	4267		
19001	BIGB	07	30	0002	S23	E70	08	4.4	3.0	2700	4267		
19001	BIGB	07	31	1737	S23	E48	08	4.4	3.0	2600	4267		
19001	BIGB	08	01	2359	S23	E27	08	4.1	2.5	2500	4267		
19001	BIGB	08	02	1435	S24	E17	08	3.9	2.5	2800	4267		
19001	BIGB	08	03	1737	S23	E10	08	4.5	2.5	2100	4267		
19001	BIGB	08	04	1814	S23	W05	08	4.4	2.5	1600	4267		
19001	BIGB	08	05	1909	S23	W22	08	4.1	2.5	2200	4267		
19001	BIGB	08	08	1420	S22	W57	08	4.2	2.0	1300	4267		
19002	BIGB	07	28	1500	S17	E80	08	3.7	2.5	0800	4271		
19002	BIGB	07	30	0002	S15	E70	08	4.3	3.0	3500	4271		
19002	BIGB	07	31	1737	S10	E52	08	4.6	3.0	3200	4271		
19002	BIGB	08	01	2359	S11	E35	08	4.6	3.0	3000	4271		
19002	BIGB	08	02	1435	S13	E25	08	4.5	3.5	3000	4271		
19002	BIGB	08	03	1737	S11	E10	08	4.5	3.0	2500	4271		
19002	BIGB	08	04	1814	S11	W01	08	4.7	3.0	2400	4271		
19002	BIGB	08	05	1909	S12	W15	08	4.7	3.0	2600	4271		
19002	BIGB	08	08	1420	S09	W52	08	4.7	2.0	2200	4271		
19002	BIGB	08	10	1749	S08	W73	08	5.3	1.0	0800	4271		
19011	BIGB	08	03	1737	S17	E41	08	6.8	1.0	0200	4274		
19011	BIGB	08	04	1814	S17	E25	08	6.6	1.5	0200	4274		
19011	BIGB	08	05	1909	S17	E11	08	6.6	1.5	0600	4274		
19011	BIGB	08	08	1420	S16	W28	08	6.5	2.5	0500	4274		
19011	BIGB	08	10	1749	S16	W57	08	6.4	2.5	0600	4274		
19011	BIGB	08	11	1749	S16	W72	08	6.3	2.0	0900	4274		
19007	BIGB	08	01	2359	N03	E77	08	7.8	1.5	0600	4272		
19007	BIGB	08	02	1435	N01	E64	08	7.4	2.5	0700	4272		
19007	BIGB	08	03	1737	N04	E51	08	7.5	2.5	0700	4272		
19007	BIGB	08	04	1814	N03	E36	08	7.4	2.5	0800	4272		
19007	BIGB	08	05	1909	N02	E23	08	7.5	2.5	0800	4272		
19007	BIGB	08	08	1420	N03	W14	08	7.5	1.5	0500	4272		
19007	BIGB	08	10	1749	N04	W44	08	7.4	1.5	0200	4272		
19007	BIGB	08	11	1749	N04	W56	08	7.5	1.5	0300	4272		
19008	BIGB	08	02	1435	N06	E71	08	7.9	1.5	0400			
19008	BIGB	08	03	1737	N07	E59	08	8.1	1.5	0300			
19008	BIGB	08	04	1814	N07	E43	08	8.0	1.0	0300			
19008	BIGB	08	05	1909	N05	E30	08	8.0	2.0	0200			
19008	BIGB	08	08	1420	N07	W09	08	7.9	1.0	0200			
19008	BIGB	08	10	1749	N08	W37	08	8.0	1.0	0100			
19008	BIGB	08	11	1749	N07	W50	08	8.0	1.0	0100			
19009	BIGB	08	03	1737	N11	E66	08	8.7	1.0	0200	4276		
19009	BIGB	08	04	1814	N13	E51	08	8.6	2.0	0300	4276		
19009	BIGB	08	05	1909	N12	E36	08	8.5	2.5	0400	4276		
19009	BIGB	08	08	1420	N11	E01	08	8.7	1.0	0200	4276		

85
Late
Aug 83

CALCIUM PLAGE REGIONS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

AUGUST 1983

Calcium Plage Region	Sta	Mo	Day	Observation Time (UT)	Lat	CMD	CMP Mo	Day	Intensity	Corrected Area (10 ⁻⁶ Hemi)	NOAA/USAF #1	Sunspot #2	Groups #3
19009	BIGB	08	10	1749	N12	W26	08	8.8	1.0	0200	4276		
19009	BIGB	08	11	1749	N13	W40	08	8.7	1.0	0300	4276		
19012	BIGB	08	03	1737	S17	E71	08	9.1	1.5	0300			
19012	BIGB	08	04	1814	S20	E59	08	9.3	2.0	0500			
19012	BIGB	08	05	1909	S23	E45	08	9.3	2.5	0700			
19012	BIGB	08	08	1420	S19	E06	08	9.0	1.5	0600			
19012	BIGB	08	10	1749	S20	W23	08	9.0	1.5	0500			
19012	BIGB	08	11	1749	S20	W37	08	8.9	1.5	0700			
19012	BIGB	08	12	1445	S20	W47	08	9.0	1.0	0300			
19012	BIGB	08	14	2300	S18	W75	08	9.2	1.0	0100			
19010	BIGB	08	03	1737	N17	E80	08	9.8	1.5	0100			
19010	BIGB	08	04	1814	N17	E64	08	9.6	2.5	0200			
19010	BIGB	08	05	1909	N16	E49	08	9.5	2.5	0500			
19010	BIGB	08	08	1420	N17	E13	08	9.6	1.0	0500			
19010	BIGB	08	10	1749	N17	W16	08	9.5	1.5	0400			
19010	BIGB	08	11	1749	N17	W30	08	9.5	1.5	0300			
19010	BIGB	08	12	1445	N18	W38	08	9.7	1.0	0300			
19010	BIGB	08	14	2300	N18	W73	08	9.4	1.0	0200			
19013	BIGB	08	05	1909	N04	E81	08	11.8	1.5	0300	4277		
19013	BIGB	08	08	1420	N04	E44	08	11.9	2.5	0500	4277		
19013	BIGB	08	10	1749	N04	E15	08	11.9	2.0	0300	4277		
19013	BIGB	08	11	1749	N04	E03	08	12.0	2.0	0400	4277		
19013	BIGB	08	12	1445	N04	W08	08	12.0	1.5	0400	4277		
19013	BIGB	08	14	2300	N06	W42	08	11.8	1.0	0300	4277		
19013	BIGB	08	16	1650	N06	W61	08	12.1	1.0	0200	4277		
19014	BIGB	08	08	1420	S12	E65	08	13.5	4.0	4500	4279		
19014	BIGB	08	10	1749	S11	E36	08	13.4	4.0	4500	4279		
19014	BIGB	08	11	1749	S11	E23	08	13.5	3.5	4600	4279		
19014	BIGB	08	12	1445	S10	E10	08	13.4	3.5	5500	4279		
19014	BIGB	08	14	2300	S10	W22	08	13.3	3.5	5200	4279		
19014	BIGB	08	16	1650	S10	W44	08	13.4	3.5	4500	4279		
19015	BIGB	08	08	1420	S03	E65	08	13.4	4.0	1500	4280		
19015	BIGB	08	10	1749	S03	E38	08	13.6	3.5	1000	4280		
19015	BIGB	08	11	1749	S02	E24	08	13.5	2.5	1200	4280		
19015	BIGB	08	12	1445	S01	E13	08	13.6	3.0	0700	4280		
19015	BIGB	08	14	2300	N00	W19	08	13.5	3.0	0700	4280		
19015	BIGB	08	16	1650	N03	W43	08	13.5	2.0	0500	4280		
19016	BIGB	08	08	1420	S07	E74	08	14.1	3.5	0900	4278	4278A	
19016	BIGB	08	10	1749	S08	E51	08	14.6	3.5	2000	4278	4278A	
19016	BIGB	08	11	1749	S08	E36	08	14.4	3.0	3000	4278	4278A	
19016	BIGB	08	12	1445	S06	E25	08	14.5	3.5	3300	4278	4278A	
19016	BIGB	08	14	2300	S06	W06	08	14.5	3.5	3800	4278	4278A	
19016	BIGB	08	16	1650	S06	W29	08	14.5	3.0	2500	4278	4278A	
19016	BIGB	08	20	1723	S08	W80	08	14.7	1.5	0700	4278	4278A	
19017	BIGB	08	10	1749	N13	E60	08	15.3	2.5	0600	4278B		
19017	BIGB	08	11	1749	N14	E47	08	15.3	2.5	0900	4278B		
19017	BIGB	08	12	1445	N15	E35	08	15.3	2.5	0700	4278B		
19017	BIGB	08	14	2300	N16	E03	08	15.2	2.5	0600	4278B		
19017	BIGB	08	16	1650	N17	W20	08	15.2	2.0	0600	4278B		
19017	BIGB	08	20	1723	N17	W75	08	15.0	1.5	0600	4278B		
19018	BIGB	08	10	1749	S22	E79	08	16.8	1.0	0700	4283		
19018	BIGB	08	11	1749	S22	E70	08	17.1	3.0	2300	4283		
19018	BIGB	08	12	1445	S18	E57	08	16.9	3.0	2100	4283		
19018	BIGB	08	14	2300	S20	E26	08	16.9	3.0	2500	4283		
19018	BIGB	08	16	1650	S19	E00	08	16.7	2.5	1800	4283		
19018	BIGB	08	20	1723	S21	W49	08	17.0	2.0	1100	4283		
19018	BIGB	08	21	1827	S21	W59	08	17.2	2.5	0800	4283		
19018	BIGB	08	22	1919	S20	W75	08	17.1	2.0	0500	4283		
19019	BIGB	08	10	1749	S06	E82	08	16.9	1.0	1000	4281		
19019	BIGB	08	11	1749	S08	E70	08	17.0	3.0	2000	4281		
19019	BIGB	08	12	1445	S06	E58	08	16.9	2.5	2100	4281		
19019	BIGB	08	14	2300	S07	E28	08	17.0	3.0	2800	4281		

86
Late
Aug 83

CALCIUM PLAGE REGIONS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

AUGUST 1983

Calcium Plage Region	Sta	Mo	Day	Observation Time (UT)	Lat	CMD	CMP Mo	Day	Intensity	Corrected Area (10-6 Hemi)	NOAA/USAF #1	Sunspot #2	Groups #3
19019	BIGB	08	16	1650	S06	E05	08	17.1	2.5	2100	4281		
19019	BIGB	08	20	1723	S07	W48	08	17.1	2.5	1400	4281		
19019	BIGB	08	21	1827	S06	W64	08	17.0	2.5	1700	4281		
19019	BIGB	08	22	1919	S06	W76	08	17.1	2.5	1300	4281		
19019	BIGB	08	23	1522	S05	W80	08	17.6	1.5	0700	4281		
19020	BIGB	08	11	1749	N04	E74	08	17.3	3.0	1000	4282		
19020	BIGB	08	12	1445	N07	E61	08	17.2	2.5	0800	4282		
19020	BIGB	08	14	2300	N08	E33	08	17.4	2.5	1600	4282		
19020	BIGB	08	16	1650	N09	E09	08	17.4	2.5	1000	4282		
19020	BIGB	08	20	1723	N09	W44	08	17.4	2.5	1200	4282		
19020	BIGB	08	21	1827	N09	W60	08	17.3	2.5	1200	4282		
19020	BIGB	08	22	1919	N08	W75	08	17.2	2.5	0900	4282		
19020	BIGB	08	23	1522	N08	W79	08	17.7	1.5	0700	4282		
19024	BIGB	08	14	2300	S19	E43	08	18.2	2.0	0200	4287		
19024	BIGB	08	16	1650	S18	E21	08	18.3	1.0	0200	4287		
19022	BIGB	08	12	1445	S08	E76	08	18.3	1.0	0400			
19022	BIGB	08	14	2300	S06	E49	08	18.6	2.0	0600			
19022	BIGB	08	16	1650	S06	E25	08	18.6	2.0	0400			
19022	BIGB	08	20	1723	S06	W28	08	18.6	1.5	0500			
19022	BIGB	08	21	1827	S06	W44	08	18.5	1.5	0500			
19022	BIGB	08	22	1919	S06	W58	08	18.5	1.5	0400			
19022	BIGB	08	23	1522	S06	W69	08	18.5	1.5	0400			
19021	BIGB	08	12	1445	N06	E78	08	18.4	2.5	1100			
19021	BIGB	08	14	2300	N10	E50	08	18.7	2.0	0800			
19021	BIGB	08	16	1650	N10	E27	08	18.7	2.0	0700			
19021	BIGB	08	20	1723	N10	W24	08	18.9	1.0	0700			
19021	BIGB	08	21	1827	N10	W40	08	18.8	1.5	0800			
19021	BIGB	08	22	1919	N11	W53	08	18.8	1.5	0700			
19021	BIGB	08	23	1522	N11	W64	08	18.8	1.5	0800			
19021	BIGB	08	24	2349	N11	W79	08	19.0	1.0	0400			
19023	BIGB	08	12	1445	N21	E81	08	18.8	3.0	2000	4284	4286	
19023	BIGB	08	14	2300	N20	E53	08	19.0	3.0	2000	4284	4286	
19023	BIGB	08	16	1650	N20	E31	08	19.1	2.5	1500	4284	4286	
19023	BIGB	08	20	1723	N21	W23	08	19.0	3.0	1800	4284	4286	
19023	BIGB	08	21	1827	N21	W40	08	18.7	2.5	1500	4284	4286	
19023	BIGB	08	22	1919	N21	W52	08	18.8	3.0	1800	4284	4286	
19023	BIGB	08	23	1522	N21	W64	08	18.7	3.0	1900	4284	4286	
19023	BIGB	08	24	2349	N20	W78	08	19.0	2.0	1900	4284	4286	
19023	BIGB	08	25	1440	N22	W80	08	19.5	2.0	1700	4284	4286	
19025	BIGB	08	12	1445	S14	E72	08	18.0	3.0	1500			
19025	BIGB	08	14	2300	S16	E51	08	18.8	2.5	1500			
19025	BIGB	08	16	1650	S16	E31	08	19.0	2.5	1300			
19025	BIGB	08	20	1723	S16	W23	08	19.0	3.0	0900			
19025	BIGB	08	21	1827	S16	W37	08	19.0	3.0	0900			
19025	BIGB	08	22	1919	S16	W50	08	19.0	3.0	1000			
19025	BIGB	08	23	1522	S16	W62	08	18.9	2.5	1000			
19025	BIGB	08	24	2349	S16	W80	08	18.9	1.0	0500			
19026	BIGB	08	20	1723	S04	W18	08	19.4	1.5	0200			
19026	BIGB	08	21	1827	S04	W33	08	19.3	1.0	0200			
19026	BIGB	08	22	1919	S05	W49	08	19.1	1.0	0200			
19026	BIGB	08	23	1522	S05	W60	08	19.1	1.0	0150			
19026	BIGB	08	24	2349	S05	W81	08	18.9	1.0	0075			
19027	BIGB	08	20	1723	N07	W13	08	19.7	1.0	0100	4286B		
19027	BIGB	08	21	1827	N07	W27	08	19.7	1.0	0300	4286B		
19027	BIGB	08	22	1919	N08	W40	08	19.8	1.0	0200	4286B		
19027	BIGB	08	23	1522	N08	W52	08	19.7	1.0	0100	4286B		
19005	BIGB	08	22	1919	S04	W34	08	20.3	1.5	0100			
19005	BIGB	08	23	1522	S04	W47	08	20.1	1.0	0200			
19028	BIGB	08	20	1723	S15	E03	08	20.9	1.0	0100	4290		
19028	BIGB	08	21	1827	S13	W06	08	21.3	2.0	0300	4290		
19028	BIGB	08	22	1919	S13	W19	08	21.4	1.5	0400	4290		

CALCIUM PLAGE REACTIONS
(ORDERED BY CENTRAL MERIDIAN LONGITUDE DATE)

87
Late
Aug 83

AUGUST 1983

Calcium Plage Region	Sta	Observation Time (UT)		Lat	CMD	CMP Mo Day	Intensity	Corrected Area (10-6 Hemi)	NOAA/USAF Sunspot Groups #1 #2 #3
19028	BIGB	08 23	1522	S13	W32	08 21.2	1.5	0500	4290
19028	BIGB	08 24	2349	S13	W50	08 21.2	1.0	0300	4290
19028	BIGB	08 25	1440	S11	W54	08 21.5	1.0	0250	4290
19028	BIGB	08 26	1425	S11	W69	08 21.4	1.0	0100	4290
19035	BIGB	08 23	1522	S13	W15	08 22.5	1.5	0200	4290A
19035	BIGB	08 24	2349	S13	W32	08 22.6	1.0	0125	4290A
19035	BIGB	08 25	1440	S14	W40	08 22.6	1.0	0200	4290A
19029	BIGB	08 21	1827	S19	E19	08 23.2	2.5	0300	4291
19029	BIGB	08 22	1919	S18	E06	08 23.3	2.0	0300	4291
19029	BIGB	08 23	1522	S18	W05	08 23.2	2.0	0400	4291
19029	BIGB	08 24	2349	S18	W23	08 23.2	2.0	0400	4291
19029	BIGB	08 25	1440	S18	W31	08 23.2	2.0	0400	4291
19029	BIGB	08 26	1425	S18	W44	08 23.2	1.0	0100	4291
19030	BIGB	08 20	1723	N13	E46	08 24.2	3.5	3000	4288
19030	BIGB	08 21	1827	N13	E32	08 24.2	3.5	3200	4288
19030	BIGB	08 22	1919	N13	E19	08 24.2	3.0	2700	4288
19030	BIGB	08 23	1522	N14	E10	08 24.4	3.0	3000	4288
19030	BIGB	08 24	2349	N14	W09	08 24.3	2.5	2800	4288
19030	BIGB	08 25	1440	N14	W17	08 24.3	2.5	2500	4288
19030	BIGB	08 26	1425	N14	W30	08 24.3	2.5	2000	4288
19030	BIGB	08 27	2026	N15	W45	08 24.4	2.5	2000	4288
19030	BIGB	08 28	1622	N14	W60	08 24.1	2.0	1600	4288
19030	BIGB	08 29	2059	N14	W73	08 24.3	2.5	1200	4288
19030	BIGB	08 30	1445	N14	W86	08 24.1	2.5	0700	4288
19031	BIGB	08 20	1723	S13	E52	08 24.6	2.0	1200	4289
19031	BIGB	08 21	1827	S15	E40	08 24.8	2.0	1200	4289
19031	BIGB	08 22	1919	S13	E30	08 25.1	1.5	1300	4289
19031	BIGB	08 23	1522	S14	E20	08 25.1	2.0	1650	4289
19031	BIGB	08 24	2349	S15	W00	08 25.0	1.5	1650	4289
19031	BIGB	08 25	1440	S14	W07	08 25.1	2.0	1800	4289
19031	BIGB	08 26	1425	S14	W23	08 24.9	2.0	1500	4289
19031	BIGB	08 27	2026	S14	W37	08 25.0	1.5	1200	4289
19031	BIGB	08 28	1622	S14	W50	08 24.9	1.5	1000	4289
19031	BIGB	08 29	2059	S14	W63	08 25.1	1.5	1200	4289
19037	BIGB	08 27	2026	S02	W24	08 26.0	2.0	0300	4298
19037	BIGB	08 28	1622	S03	W40	08 25.7	2.5	0500	4298
19037	BIGB	08 29	2059	S03	W54	08 25.8	2.5	0400	4298
19037	BIGB	08 30	1445	S03	W67	08 25.6	2.0	0600	4298
19037	BIGB	08 31	1500	S02	W80	08 25.6	2.0	0300	4298
19032	BIGB	08 20	1723	S13	E79	08 26.7	1.0	0200	
19032	BIGB	08 21	1827	S15	E68	08 26.9	2.5	0700	
19032	BIGB	08 22	1919	S12	E52	08 26.7	3.0	0800	
19032	BIGB	08 23	1522	S13	E42	08 26.8	3.0	0950	
19032	BIGB	08 24	2349	S13	E24	08 26.8	3.0	1000	
19032	BIGB	08 25	1440	S12	E15	08 26.7	3.5	1000	
19032	BIGB	08 26	1425	S13	E01	08 26.7	2.5	1000	
19032	BIGB	08 27	2026	S13	W15	08 26.7	2.5	1100	
19032	BIGB	08 28	1622	S13	W27	08 26.6	3.0	1400	
19032	BIGB	08 29	2059	S13	W40	08 26.8	3.0	1300	
19032	BIGB	08 30	1445	S14	W54	08 26.5	2.5	1000	
19032	BIGB	08 31	1500	S14	W69	08 26.4	2.5	1000	
19032	BIGB	09 01	1505	S13	W79	08 26.8	3.0	0500	
19033	BIGB	08 20	1723	S22	E75	08 26.5	1.0	0200	
19033	BIGB	08 21	1827	S24	E67	08 26.9	1.5	0500	
19033	BIGB	08 22	1919	S21	E55	08 27.0	1.0	0700	
19033	BIGB	08 23	1522	S22	E44	08 27.0	2.0	1000	
19033	BIGB	08 24	2349	S22	E26	08 27.0	2.0	0850	
19033	BIGB	08 25	1440	S22	E16	08 26.8	2.0	0800	
19033	BIGB	08 26	1425	S23	E03	08 26.8	2.0	0800	
19033	BIGB	08 27	2026	S23	W10	08 27.1	2.0	0700	
19033	BIGB	08 28	1622	S23	W24	08 26.8	1.5	0700	
19033	BIGB	08 29	2059	S24	W36	08 27.1	1.5	0600	
19033	BIGB	08 30	1445	S23	W49	08 26.8	1.0	0600	
19033	BIGB	08 31	1500	S22	W63	08 26.8	1.0	0700	

88
Late
Aug 83

CALCIUM PLAGE REGIONS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

AUGUST 1983

Calcium Plage Region	Sta	Observation Time Mo Day (UT)	Lat CMD	CMP Mo Day	Intensity	Corrected Area (10-6 Hemi)	NOAA/USAF Sunspot Groups #1 #2 #3
19033	BIGB	09 01 1505	S20 W74	08 27.1	1.0	0300	
19046	BIGB	08 30 1445	S09 W45	08 27.2	2.0	0200	4302
19046	BIGB	08 31 1500	S08 W55	08 27.5	2.0	0300	4302
19046	BIGB	09 01 1505	S08 W68	08 27.6	1.0	0550	4302
19046	BIGB	09 02 1515	S03 E80	09 8.6	2.5	0500	4302
19038	BIGB	08 27 2026	S04 W04	08 27.5	1.0	0100	
19034	BIGB	08 22 1919	S06 E80	08 28.8	1.0	0600	4299
19034	BIGB	08 23 1522	S09 E71	08 29.0	2.5	2000	4299
19034	BIGB	08 24 2349	S09 E56	08 29.2	3.0	3000	4299
19034	BIGB	08 25 1440	S08 E47	08 29.1	3.5	2800	4299
19034	BIGB	08 26 1425	S10 E35	08 29.2	3.5	2500	4299
19034	BIGB	08 27 2026	S09 E21	08 29.4	3.0	2500	4299
19034	BIGB	08 28 1622	S08 E08	08 29.3	2.5	2700	4299
19034	BIGB	08 29 2059	S08 W05	08 29.5	2.5	2300	4299
19034	BIGB	08 30 1445	S08 W18	08 29.3	2.5	2500	4299
19034	BIGB	08 31 1500	S07 W31	08 29.3	2.5	2500	4299
19034	BIGB	09 01 1505	S08 W55	08 28.6	2.5	2000	4299
19034	BIGB	09 02 1515	S09 W55	08 29.6	2.0	1500	4299
19034	BIGB	09 03 1843	S08 W74	08 29.3	2.0	1300	4299
19041	BIGB	08 28 1622	S05 E21	08 30.2	1.5	0200	4293
19041	BIGB	08 29 2059	S06 E07	08 30.4	2.0	0400	4293
19041	BIGB	08 30 1445	S07 W06	08 30.2	2.0	0500	4293
19041	BIGB	08 31 1500	S07 W18	08 30.3	2.0	0700	4293
19041	BIGB	09 01 1505	S05 W31	08 30.4	1.5	0600	4293
19041	BIGB	09 02 1515	S08 W43	08 30.5	1.5	0600	4293
19041	BIGB	09 03 1843	S06 W60	08 30.4	1.0	0500	4293
19041	BIGB	09 04 1701	S08 W73	08 30.3	2.0	0600	4293
19040	BIGB	08 28 1622	S01 E23	08 30.4	1.5	0200	
19040	BIGB	08 29 2059	S01 E09	08 30.5	1.5	0100	
19045	BIGB	08 24 2349	S19 E74	08 30.6	2.0	0700	4296
19045	BIGB	08 25 1440	S20 E65	08 30.6	3.0	0900	4296
19045	BIGB	08 26 1425	S20 E50	08 30.4	2.5	1300	4296
19045	BIGB	08 27 2026	S20 E37	08 30.7	2.5	1000	4296
19045	BIGB	08 28 1622	S20 E25	08 30.6	2.5	1400	4296
19045	BIGB	08 29 2059	S20 E12	08 30.8	2.5	1200	4296
19045	BIGB	08 30 1445	S20 W01	08 30.5	2.5	1200	4296
19045	BIGB	08 31 1500	S20 W14	08 30.5	2.5	1000	4296
19045	BIGB	09 01 1505	S16 W25	08 30.8	2.5	1000	4296
19045	BIGB	09 02 1515	S17 W38	08 30.8	2.0	1000	4296
19045	BIGB	09 03 1843	S16 W50	08 31.0	2.0	1800	4296
19045	BIGB	09 04 1701	S16 W65	08 30.9	2.5	1200	4296
19045	BIGB	09 05 1855	S17 W73	08 31.2	2.0	0700	4296
19036	BIGB	08 24 2349	S10 E75	08 30.6	2.0	0300	4295
19036	BIGB	08 25 1440	S10 E70	08 30.9	2.5	1900	4295
19036	BIGB	08 26 1425	S12 E60	08 31.1	2.5	1700	4295
19036	BIGB	08 27 2026	S14 E50	08 31.6	2.5	2200	4295
19036	BIGB	08 28 1622	S13 E35	08 31.3	2.5	2500	4295
19036	BIGB	08 29 2059	S14 E24	08 31.7	2.5	3000	4295
19036	BIGB	08 30 1445	S15 E12	08 31.5	2.5	3000	4295
19036	BIGB	08 31 1500	S15 W02	08 31.5	2.5	2500	4295
19036	BIGB	09 01 1505	S14 W10	08 31.9	2.0	2000	4295
19036	BIGB	09 02 1515	S14 W21	09 1.0	2.0	2000	4295
19036	BIGB	09 03 1843	S13 W40	08 31.8	2.0	1800	4295
19036	BIGB	09 04 1701	S12 W49	09 1.0	2.5	1500	4295
19036	BIGB	09 05 1855	S12 W65	08 31.9	1.5	0900	4295
19036	BIGB	09 06 2142	S14 W71	09 1.5	1.0	0350	4295
19039	BIGB	08 25 1440	S30 E76	08 31.6	1.5	0700	4300
19039	BIGB	08 26 1425	S30 E63	08 31.5	1.5	0800	4300
19039	BIGB	08 27 2026	S29 E50	08 31.8	1.5	0400	4300
19039	BIGB	08 28 1622	S28 E36	08 31.5	1.5	0200	4300
19039	BIGB	08 29 2059	S28 E25	08 31.8	1.5	0300	4300
19039	BIGB	08 30 1445	S30 E12	08 31.5	1.5	0400	4300
19039	BIGB	08 31 1500	S30 W01	08 31.5	1.5	0500	4300

CALCIUM PLAGE REGIONS
(ORDERED BY CENTRAL MERIDIAN PASSAGE DATE)

89
Late
Aug 83

AUGUST 1983

Calcium Plage Region	Sta	Observation Time		Lat	CMD	CMP		Intensity	Corrected Area (10 ⁻⁶ Hemi)	NOAA/USAF Sunspot Groups		
		Mo	Day (UT)			Mo	Day			#1	#2	#3
19039	BIGB	09	01	1505	S24 W20	08	31.1	2.0	0700	4300		
19039	BIGB	09	02	1515	S25 W33	08	31.1	2.0	0700	4300		
19039	BIGB	09	03	1843	S24 W47	08	31.1	1.5	1000	4300		
19039	BIGB	09	04	1701	S25 W56	08	31.4	2.0	0600	4300		
19039	BIGB	09	05	1855	S23 W63	08	31.9	2.0	0700	4300		
19039	BIGB	09	06	2142	S23 W70	09	1.5	2.0	0600	4300		


90
Late
Aug 83

DAILY PLAGE SUMMARIES

AUGUST 1983

Day	Sta	Plage Index	Plage Count	Smallest Plage (Millionths of Solar Hemisphere)	Largest Plage	Total Area	Smallest Intensity	Largest Intensity
01	BIGB	41.8	13	100	5500	18900	1.0	3.5
02	BIGB	49.3	11	300	6000	20000	1.0	4.0
03	BIGB	39.6	14	100	5800	16600	1.0	3.5
04	BIGB	36.5	13	200	6000	15500	1.0	3.5
05	BIGB	35.4	13	200	6000	16500	1.0	3.5
06	No Observations This Day							
07	No Observations This Day							
08	BIGB	20.6	14	200	4500	16800	1.0	4.0
09	No Observations This Day							
10	BIGB	25.2	14	100	4500	12900	1.0	4.0
11	BIGB	33.3	14	100	4600	18000	1.0	3.5
12	BIGB	42.6	14	300	5500	21200	1.0	3.5
13	No Observations This Day							
14	BIGB	57.8	15	100	5200	22900	1.0	3.5
15	No Observations This Day							
16	BIGB	38.9	13	200	4500	17300	1.0	3.5
17	No Observations This Day							
18	No Observations This Day							
19	No Observations This Day							
20	BIGB	23.2	16	100	3000	13900	1.0	3.5
21	BIGB	24.2	15	200	3200	14100	1.0	3.5
22	BIGB	19.6	17	100	2700	13900	1.0	3.0
23	BIGB	22.6	17	100	3000	15650	1.0	3.0
24	BIGB	20.2	14	75	3000	14000	1.0	3.0
25	BIGB	24.5	12	200	2800	14950	1.0	3.5
26	BIGB	22.2	10	100	2500	11800	1.0	3.5
27	BIGB	21.6	10	100	2500	11500	1.0	3.0
28	BIGB	23.1	11	200	2700	12400	1.5	3.0
29	BIGB	22.0	12	100	3000	12200	1.0	3.0
30	BIGB	20.0	12	200	3000	11400	1.0	2.5
31	BIGB	18.1	12	100	2500	10700	1.0	3.0

DAILY PLAGE AREAS FOR AUGUST 1983



BIG BEAR SOLAR OBSERVATORY
ACTIVE REGION SUMMARY
AUGUST 1983

91
Late
Aug 83

REGION	IDENTIFICATION	AGE	FIRST SEEN	DURATION
19006	New	1	830801	01 days
000	New	1	830727	13
003	New	1	830729	>11
001	18949	2	830728	>12
002	18948 & 18951	3	830728	14
011	New	1	830803	09
007	New	1	830801	08
008	New	1	830802	07
009	New	1	830803	06
012	18956	2	830803	10
010	18958	2	830803	>10
013	New	1	830805	>11
014	New (vic. of 18959 and 18960)	1	830808	>09
015	New	1	830808	>09
016	New (vic. of 18964 and 18976)	1	830808	10
017	18967	3	830810	10
019	18984	2	830810	14
018	New (vic. of 18994)	1	830810	13
020	18982	2	830811	14
024	New	1	830814	>04
022	18974	6	830812	12
005	New	1	830822	02
021	18975	5	830812	13
023	New	1	830812	14
025	18977	2	830812	13
026	New	1	830820	05
027	New	1	830820	04
028	New	1	830820	07
035	New	1	830823	03
029	New	1	830821	06
030	New	1	830821	10
031	18989	6	830821	09
037	New	1	830827	04
032	New (vic. of 19004)	1	830821	>11
033	18990	3	830821	11
038	New	1	830827	01
046	New	1	830830	>03
034	19060	2	830822	13
040	New	1	830828	02
041	New	1	830828	09
045	New in the lower portion of 19002	1	830824	13
036	19002	4	830824	14
039	19001	3	830825	14

1. No CaK Observations at BBSO on August 2, 6-9, 12-19, 25, 26, 30, 31.
2. No CaK Prints on August 6, 7, 9, 13, 15, 17-19.
3. No KPNO Magnetograms on August 4, 5, 8-12, 16-19, 31.
4. Contiguous Plages: 19000/19001/19002/19003,
19014/19015/19016,
19024/19041/19045/19036/19039.
5. Mt. Wilson CaK Prints were used on August 2, 8, 12, 13, 16, 25, 26, 30, 31.